

Table 6. Comparison of pH and aluminum in samples from 2013, and post -limed sampled taken in 2015 at SARE Site B.

SARE SITE	Landscape	Depth inches	pH 2013	pH 2015L	pH L15-13 Difference	KCI Al 2013 mg/kg	KCI Al 2015L mg/kg	KCI Al L15-13 Difference
B	bottom	0to1	5.47	6.06	0.59 *	3.9	0.1	-3.84
B	bottom	1to2	5.12	5.82	0.70 *	0.7	0.1	-0.61
B	bottom	2to3	4.96	5.88	0.92 *	1.6	0.1	-1.51
B	bottom	3to4	4.98	5.16	0.18	0.3	9.9	9.57 *
B	bottom	4to6	5.23	5.48	0.25	0.7	4.4	3.79
B	bottom	6to8	5.81	5.64	-0.17	0.6	0.1	-0.47
B	middle	0to1	5.10	6.75	1.65 *	20.1	0.1	-20.00 *
B	middle	1to2	5.04	6.16	1.12 *	31.3	0.1	-31.20 *
B	middle	2to3	5.07	5.43	0.36	28.7	3.9	-24.78 *
B	middle	3to4	5.16	5.41	0.25	11.7	7.6	-4.12
B	middle	4to6	5.46	5.82	0.36	2.2	1.5	-0.64
B	middle	6to8	5.85	6.22	0.37	6.1	6.3	0.27
B	top	0to1	5.61	6.62	1.01 *	28.9	0.1	-28.80 *
B	top	1to2	5.02	5.47	0.45 *	41.7	15.4	-26.30 *
B	top	2to3	5.18	5.31	0.13	25.9	29.4	3.45
B	top	3to4	5.37	5.39	0.02	8.3	24.6	16.28 *
B	top	4to6	5.79	5.77	-0.02	1.1	6.3	5.27
B	top	6to8	5.83	6.13	0.3	14.6	4.6	-10.01 *

Bold data indicate low pH levels and high aluminum. The asterisks indicate significant difference at $P \leq 0.05$.