

Watershed Ranch: Modified Bioreactor Year 1 Temperature Readings Report

Date:	Average Pile Temperature: Fahrenheit
5/15	60
5/16	60
5/17	60
5/18	60
5/19	60
5/20	64
5/21	68
5/22	74
5/23	78
5/24	84
5/25	90
5/26	97
5/27	105
5/28	110
5/29	116
5/30	122
5/31	130
6/1	131
6/2	131
6/3	131
6/4	131
6/5	131
6/6	125
6/7	104
6/8	88
6/9	78
6/10	70
6/11	62
6/12	62
6/13	62
6/21	64
6/28	66
7/4	72
7/11	72
7/19	72
7/26	74
8/2	74
8/9	73
8/16	73
8/23	73
8/30	73
9/6	72
9/13	72
9/20	68
9/27	66
10/4	60
10/11	56
11/1	56
11/8	55
11/15	54
11/22	54
11/29	54
12/6	54
12/13	54
12/20	53
12/27	51
1/3	50
1/10	48
1/17	46
1/24	44
1/31	42
2/7	42
2/14	40
2/21	38
2/28	36
3/6	36
3/13	36

3/20	36
3/27	36
4/3	37
4/10	37
4/17	37
4/24	37
5/1	38
5/8	38
5/15	38
5/22	39
5/29	40