


Comprehensive Assessment of Soil Health

From the Cornell Soil Health Laboratory, Department of Soil and Crop Sciences, School of Integrative Plant Science, Cornell University, Ithaca, NY 14853. <http://soilhealth.cals.cornell.edu>



Grower:
Fay Benson
afb3@cornell.edu

Sample ID: U122
Field ID: Adams
Date Sampled: 06/29/2020
Given Soil Type: EdB
Crops Grown: Continuous Grazing/Continuous
Grazing/Continuous Grazing
Coordinates: Latitude: 42.544490000000
Longitude: -76.415960000000

Measured Soil Textural Class: **medium**

Sand: --% - Silt: --% - Clay: --%

Group	Indicator	Value	Rating	Constraints
physical	Surface Hardness	350		Exceeds 300 lbs/sq. inch
physical	Subsurface Hardness	325		Exceeds 300 lbs/sq. inch
physical	Aggregate Stability	85.0	99	
biological	Organic Matter Total Carbon: 3.13 / Total Nitrogen: 0.33	4.9	98	
biological	Soil Respiration	0.9	83	
biological	Active Carbon	749	91	
chemical	Soil pH	5.8	53	
chemical	Extractable Phosphorus	5.3	100	
chemical	Extractable Potassium	51.4	76	
chemical	Minor Elements Mg: 122.3 / Fe: 8.8 / Mn: 12.1 / Zn: 0.7		100	

Overall Quality Score: **88** / Very High

Measured Soil Health Indicators

The Cornell Soil Health Test measures several indicators of soil physical, biological and chemical health. These are listed on the left side of the report summary, on the first page. The "value" column shows each result as a value, measured in the laboratory or in the field, in units of measure as described in the indicator summaries below. The "rating" column interprets that measured value on a scale of 0 to 100, where higher scores are better. Ratings in red are particularly important to take note of, but any in yellow, particularly those that are close to a rating of 30 are also important in addressing soil health problems.

- **A rating below 20 indicates *Very Low (constraining)* functioning and is color-coded red.** This indicates a problem that is likely limiting yields, crop quality, and long-term sustainability of the agroecosystem. In several cases this indicates risks of environmental loss as well. The "constraint" column provides a short list of soil processes that are not functioning optimally when an indicator rating is red. It is particularly important to take advantage of any opportunities to improve management that will address these constraints.
- **A rating between 20 and 40 indicates *Low* functioning and is color-coded orange.** This indicates that a soil process is functioning somewhat poorly and addressing this should be considered in the field management plan. The Management Suggestions Table at the end of the Soil Health Assessment Report provides linkages to field management practices that are useful in addressing each soil indicator process.
- **A rating between 40 and 60 indicates *Medium* functioning and is color-coded yellow.** This indicates that soil health could be better, and yield and sustainability could decrease over time if this is not addressed. This is especially so if the condition is being caused, or not being alleviated, by current management. Pay attention particularly to those indicators rated in yellow and close to 40.
- **A rating between 60 and 80 indicates *High* functioning and is color-coded light green.** This indicates that this soil process is functioning at a non-limiting level. Field soil management approaches should be maintained at the current intensity or improved.
- **A rating of 80 or greater indicates *Very High* functioning and is color-coded dark green.** Past management has been effective at maintaining soil health. It can be useful to note which particular aspects of management have likely maintained soil health, so that such management can be continued. Note that soil health is often high, when first converting from a permanent sod or forest. In these situations, intensive management quickly damages soil health when it includes intensive tillage, low organic matter inputs, bare soils for significant parts of the year, or excessive traffic, especially during wet times.
- **The Overall Quality Score** at the bottom of the report is an average of all ratings, and provides an indication of the soil's overall health status. However, the important part is to know which particular soil processes are constrained or suboptimal so that these issues can be addressed through appropriate management. Therefore the ratings for each indicator are more important information.

The Indicators measured in the Cornell Soil Health Assessment are important soil properties and characteristics in themselves, but also are representative of key soil processes, necessary for the proper functioning of the soil. The following is a summary of the indicators measured, what each of these indicates about your soil's health status, and what may influence the relevant properties and processes described.

A Management Suggestions Table follows, at the end of the report, with short and long term

suggestions for addressing constraints or maintaining a well-functioning system. This table will indicate constraints identified in this assessment for your soil sample by the same yellow and red color coding described above. Please also find further useful information by following the links to relevant publications and web resources that follow this section.

Texture is an inherent property of soil, meaning that it is rarely changed by management. It is thus not a soil health indicator per se, but is helpful both in interpreting the measured values of indicators (see the Cornell Soil Health Assessment Training Manual), and for deciding on appropriate management strategies that will work for that soil.

Your soil's measured textural class and composition: medium

Sand: --% Silt: --% Clay: --%

Aggregate Stability is a measure of how well soil aggregates or crumbs hold together under rainfall or other rapid wetting stresses. Measured by the fraction of dried aggregates that disintegrate under a controlled, simulated rainfall event similar in energy delivery to a hard spring rain, the value is presented as a percent, and scored against a distribution observed in regional soils with similar textural characteristics. A physical characteristic of soil, Aggregate Stability is a good indicator of soil biological and physical health. Good aggregate stability helps prevent crusting, runoff, and erosion, and facilitates aeration, infiltration, and water storage, along with improving seed germination and root and microbial health. Aggregate stability is influenced by microbial activity, as aggregates are largely held together by microbial colonies and exudates, and is impacted by management practices, particularly tillage, cover cropping, and fresh organic matter additions.

Your measured Aggregate Stability value is 85.0 %, corresponding with a score of **99**. This score is in the **Very High** range, relative to soils with similar texture. **This suggests that management practices should be geared toward maintaining this condition, as it currently indicates ideal soil functioning.** Please refer to the management suggestions table at the end of this document.

Organic Matter (OM) is a measure of the carbonaceous material in the soil that is biomass or biomass-derived. Measured by the mass lost on combustion of oven-dried soil, the value is presented as a percent of the total soil mass. This is scored against an observed distribution of OM in regional soils with similar texture. A soil characteristic that measures a physical substance of biological origin, OM is a key or central indicator of the physical, biological, and chemical health of the soil. OM content is an important influence on soil aggregate stabilization, water retention, nutrient cycling, and ion exchange capacity. Soils with low organic matter tend to require higher inputs, and be less resilient to drought and extreme rainfall. The retention and accumulation of OM is influenced by management practices such as tillage and cover cropping, as well as by microbial community growth. Intensive tillage and lack of organic matter biomass additions from various sources (amendments, residues, active crop or cover crop growth) will decrease organic matter content and overall soil health with time.

Total Carbon (Tot C) is an indicator for the OM in soil, comprising 48-58% of the total weight of OM. The Tot C analysis measures all of the carbon in a sample using complete oxidation of carbon to CO₂ using high temperature combustion (1100C). The measured Tot C includes **organic** forms of available carbon as well as relatively inert carbon in stable organic materials. Carbon can also be found in **inorganic** form as carbonate minerals such as calcium carbonate (lime). When soils have no carbonate minerals, Tot C is equivalent to the soil organic carbon. However, in soils containing