

# BEEF NUTRIENT MANAGEMENT PLANNING

## FEBRUARY 3, 2004

### CASE STUDY (BEEF)

#### System Description

*This is a beef cattle (cow/calf) operation in Bourbon County, Kentucky. The facility is owned and operated by Mr. Ben T. Abner. The nutrient management plan is being developed prior to construction of a covered feeding area/stack pad. The owner is currently determining whether a no-discharge permit from the Kentucky Division of Water will be required. The plan is being developed on February 2, 2004 by Mr. Carl Bullard. Mr. Bullard completed the KY Nutrient Management certification training, and has been assigned nutrient management specialist certification number 203.*

*Mr. Abner has 40 head of cattle on 80 acres of pasture, and also grows 2 acres of tobacco and 22 acres of orchard grass hay. The system will consist of a covered feeding area/stack pad, designed for 40 head of cattle and 120 days of manure storage. The cattle weigh an average of 800 lbs./head. The owner has indicated that the cattle will be confined 100% for 90 days during the winter months. Cattle will not access the structure during the remainder of the year.*

#### Manure Handling and Storage

*Manure from the covered feeding area will be moved to the adjacent covered stackpad and stored until the following growing season. The manure will be land applied as a source of plant nutrients on land that is under the control of the operator. Manure applied to cropland will be incorporated within 2 days or less.*

#### Land Application

**There are about 104 acres (operator owned) available for land application. Access to additional land for application will be difficult and is not anticipated. The farm is divided into 4 fields as follows:**

**Field 1: Two acres in a continuous rotation of burley tobacco (two years) followed by two years of orchard grass managed for hay. This crop sequence takes four crop years to complete, and the plan will begin for tobacco in year 1. This field is well drained and will yield (on average) about 2800 pounds of tobacco or 3 tons of hay per acre. The current soil test level for Phosphorus is 300 and the Potassium is 240. No lime is needed. Manure will be applied based on a soil test recommendation basis with**

**WORKSHEET 1 - ESTIMATING NUTRIENTS GENERATED PER CONFINEMENT PERIOD**

**SOLIDS WORKSHEET**

**1. Nutrients Generated (As Excreted)**

Animal Type	Number	x	Percent Waste as Solids	x	Avg. Weight	/ 1000	x	Confinement Period (days/yr)*	=	Animal Unit Days	x	Table 1 Value	=	N	P <sub>2</sub> O <sub>5</sub> (lbs)	K <sub>2</sub> O
Beef (all cattle and calves)	40	x	100%	x	800	/ 1000	x	90	=	2880	x	N 0.34	=	979.2		
											x	P <sub>2</sub> O <sub>5</sub> 0.21	=		604.8	
											x	K <sub>2</sub> O 0.25	=			720
		x		x		/ 1000	x		=	0	x	N	=			
											x	P <sub>2</sub> O <sub>5</sub>	=			
											x	K <sub>2</sub> O	=			
		x		x		/ 1000	x		=	0	x	N	=			
											x	P <sub>2</sub> O <sub>5</sub>	=			
											x	K <sub>2</sub> O	=			
<b>Step 1 Total</b>													=	979.2	604.8	720

**2. Manure Generated (As Excreted)**

Animal Unit Days (from Step 1)	x	Manure/A.U. Table 1 value	=	Volume of Manure
2880	x	1	=	2880 cu.ft.
0	x		=	0 cu.ft.
0	x		=	0 cu.ft.
<b>Step 2 Total</b>				2,880 cu.ft.

\* Confinement period must be adjusted for dairy cows where they are only held a short period of time during milking (e.g., 365 days x 25% confinement during the day = 91 days total confinement)

**3. Bedding (cu.ft.)**

**4. Total Tons = Step 2 + Step 3 / 33 Cu.Ft./Ton**  
 (Swine, Dairy, Beef, Horse, Sheep = 33 Cu. Ft./Ton; Poultry = 74Cu.Ft./Ton)

**5. Weighted Nutrient Value before Nitrogen Losses (lbs/ton)**  
 (Step 1 Total / Step 4)

0	cu.ft.	
87.27	Tons	
11.22	6.93	8.25

Note: All manure calculations are carried to two decimal points with no rounding. All commercial fertilizer calculations will be rounded to whole numbers with normal rules of rounding.

**WORKSHEET 2 - NUTRIENT BALANCE**

<b>Tract</b>	<b>Field No.</b>	<b>Acres</b>
700	1	2

Soil Test P Value (Mehlich 3) 220

**1. Crop or Crop Sequence/Rotation**

Tobacco

**2. Realistic Yield Goal**

2800

**3. Plant Nutrients Needed or Allowed (lbs/ac)**

(based on soil tests (ST) or crop removal (CR) rates in Table 6)

**NOTE:** Plant Nutrient Needs for "N" cannot exceed a one year crop sequence (e.g., corn/wheat in a corn/wheat/soybean sequence)

When based on crop removal, nutrients needed are based on yield level.

N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O
250	0	260
ST	ST	ST

**4. If applicable, adjusted P<sub>2</sub>O<sub>5</sub> Application Rate according to Threshold or P Index.**

Step 3 P<sub>2</sub>O<sub>5</sub> x 0

0

**5. Nitrogen Credits from previous legume crop (lbs/ac. from Table 4)**

0

**6. Fertilizer Credits (Starter or Other) (lbs/ac)**

0      0      0

**7. Nitrogen credits for previous manure applications (lbs/ac) Table 5 value x net application of manure nutrients "N" in previous year(s)**

0

**8. Plant Nutrients Needed minus Credits (lbs/ac)**

(Step 3 for N minus Steps 5, 6, & 7 or Step 4 for P<sub>2</sub>O<sub>5</sub> minus Step 6)

250      0      260

**9. Nutrients in Manure (lbs/ton) Circle: Solids or Liquids**  
(Use lab test or weighted value as determined in Worksheet 1)

11.22      6.93      8.25

**10. Percent Nutrients Retained in System (Table 2)**

Enter Table value as a decimal. (Enter zero with lab analysis)

80%      95%      95%

**11. Net Retained Nutrients in Manure (lbs./ton)**

(Step 9 x Step 10) Enter zero with lab analysis.

8.97      6.58      7.83

**12. Percent of available nutrients (Table 3)**

50%      80%      100%

**13. Net available nutrients (lbs./ton)**

(Step 11 x Step 12 without lab analysis. Step 9 x Step 12 with lab analysis)

4.48      5.26      7.83

**14. APPLICATION RATE (tons/ac)**

(Step 8 / Step 13)

Note: Application limitations may apply. See 590 Standard

10      10      10

**15. Net Application Amount for All Nutrients (lbs/ac)**

[Step 13 x Step 14]

44.8      52.6      78.3

**16. Nutrient Needs or Surpluses (lbs/ac)**

(Step 15 minus Step 8) "-" sign indicates need

-205.2      52.6      -181.7

**Tons Available Solids**      87.27

**-Tons Applied in Field**      20  
(Step 14 x Field Acres)

**=Balance**      67.27

# WORKSHEET 2 - NUTRIENT BALANCE

<b>Tract</b>	<b>Field No.</b>	<b>Acres</b>
700	3	20

Soil Test P Value (Mehlich 3)

1. **Crop or Crop Sequence/Rotation**

Orchardgrass Hay

2. **Realistic Yield Goal**

4 Tons/Acre

3. **Plant Nutrients Needed or Allowed (lbs/ac)**  
(based on soil tests (ST) or crop removal (CR) rates in Table 6)

N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O
200	0	90
ST	ST	ST

**NOTE:** Plant Nutrient Needs for "N" cannot exceed a one year crop sequence (e.g., corn/wheat in a corn/wheat/soybean sequence)  
When based on crop removal, nutrients needed are based on yield level.

4. **If applicable, adjusted P<sub>2</sub>O<sub>5</sub> Application Rate according to Threshold or P Index.**

Step 3 P<sub>2</sub>O<sub>5</sub> x 0

5. **Nitrogen Credits from previous legume crop (lbs/ac. from Table 4)**

6. **Fertilizer Credits (Starter or Other) (lbs/ac)**

7. **Nitrogen credits for previous manure applications (lbs/ac)** Table 5 value x net application of manure nutrients "N" in previous year(s)

8. **Plant Nutrients Needed minus Credits (lbs/ac)**  
(Step 3 for N minus Steps 5, 6, & 7 or Step 4 for P<sub>2</sub>O<sub>5</sub> minus Step 6)

9. **Nutrients in Manure (lbs/ton)** Circle: Solids or Liquids  
(Use lab test or weighted value as determined in Worksheet 1)

10. **Percent Nutrients Retained in System (Table 2)**  
Enter Table value as a decimal. (Enter zero with lab analysis)

11. **Net Retained Nutrients in Manure (lbs./ton)**  
(Step 9 x Step 10) Enter zero with lab analysis.

12. **Percent of available nutrients (Table 3)**

13. **Net available nutrients (lbs./ton)**  
(Step 11 x Step 12 without lab analysis. Step 9 x Step 12 with lab analysis)

14. **APPLICATION RATE (tons/ac)**  
(Step 8 / Step 13)

Note: Application limitations may apply. See 590 Standard

15. **Net Application Amount for All Nutrients (lbs/ac)**  
(Step 13 x Step 14)

**Nutrient Needs or Surpluses (lbs/ac)**  
(Step 15 minus Step 8) "-" sign indicates need

**Tons Available Solids** 48.69

**-Tons Applied in Field**  
(Step 14 x Field Acres)

53 =Balance -4.31

Tons Available 0.00  
Solids

-Tons Applied in Field 0.000008  
(Step 14 x Field Acres)

=Balance 0

**WORKSHEET 2 - NUTRIENT BALANCE**

Tract	Field No.	Acres

Soil Test P Value (Mehlich 3)

**1. Crop or Crop Sequence/Rotation**

**2. Realistic Yield Goal**

**3. Plant Nutrients Needed or Allowed (lbs/ac)**  
(based on soil tests (ST) or crop removal (CR) rates in Table 6)

N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O

**NOTE:** Plant Nutrient Needs for "N" cannot exceed a one year crop sequence (e.g., corn/wheat in a corn/wheat/soybean sequence)  
When based on crop removal, nutrients needed are based on yield level.

**4. If applicable, adjusted P<sub>2</sub>O<sub>5</sub> Application Rate according to Threshold or P Index.**  
Step 3 P<sub>2</sub>O<sub>5</sub> x 0

	0	
--	---	--

**5. Nitrogen Credits from previous legume crop (lbs/ac. from Table 4)**

0		
---	--	--

**6. Fertilizer Credits (Starter or Other) (lbs/ac)**

0	0	0
---	---	---

**7. Nitrogen credits for previous manure applications (lbs/ac)** Table 5 value x net application of manure nutrients "N" in previous year(s)

0		
---	--	--

**8. Plant Nutrients Needed minus Credits (lbs/ac)**  
(Step 3 for N minus Steps 5, 6, & 7 or Step 4 for P<sub>2</sub>O<sub>5</sub> minus Step 6)

0	0	0
---	---	---

**9. Nutrients in Manure (lbs/ton)** Circle: Solids or Liquids  
(Use lab test or weighted value as determined in Worksheet 1)

11.22	6.93	8.25
-------	------	------

**10. Percent Nutrients Retained in System (Table 2)**  
Enter Table value as a decimal. (Enter zero with lab analysis)

--	--	--

**11. Net Retained Nutrients in Manure (lbs./ton)**  
(Step 9 x Step 10) Enter zero with lab analysis.

0	0	0
---	---	---

**12. Percent of available nutrients (Table 3)**

--	--	--

**13. Net available nutrients (lbs./ton)**  
(Step 11 x Step 12 without lab analysis. Step 9 x Step 12 with lab analysis)

0	0	0
---	---	---

**14. APPLICATION RATE (tons/ac)**  
(Step 8 / Step 13)

#DIV/0!	#DIV/0!	#DIV/0!
---------	---------	---------

Note: Application limitations may apply. See 590 Standard

**15. Net Application Amount for All Nutrients (lbs/ac)**

#DIV/0!	#DIV/0!	#DIV/0!
---------	---------	---------

