Table 2. Field test results for MALB lures in Soybean using yellow sticky cards, Rosemount, MN, 2010. Data recorded from sticky cards on 7 dates between 8/10-8/18.

| Compound/Rate | n | Cum. Mean MALB/card | SEM |
|----------------------------------|----|---------------------|------|
| Predalure® – Agbio (Methyl | | | |
| salicylate) 60 mg/day | 42 | 4.29 | 0.91 |
| Agbio (β-Caryophyllene) 3.5 | | | |
| mg/day | 42 | 3.38 | 0.67 |
| β-Caryophyllene 500μl (one lure | | | |
| per card) | 42 | 3.21 | 0.92 |
| β-Caryophyllene 500μl (two lures | | | |
| per card) | 42 | 4.00 | 1.07 |
| Untreated Check | 42 | 4.48 | 1.14 |
| | | NS | |

Means within columns followed by the same letter are not significantly different (P>0.05); mean separations were obtained using Protected LSD (P=0.05). NS = not significant.

Table 3. Field test #2 (late August) results for MALB lures in Soybean using yellow sticky cards, Rosemount, MN, 2010. Data recorded from sticky cards once on 8/23, 3 days after trial was started.

| Compound/Rate | n | Cum. Mean MALB/card | SEM |
|---------------------------------|---|---------------------|------|
| Predalure® – Agbio (Methyl | | | |
| salicylate) 60 mg/day | 4 | 44.75 | 6.41 |
| Agbio (β-Caryophyllene) 3.5 | | | |
| mg/day | 4 | 56.75 | 3.52 |
| β-Caryophyllene 500μl (one lure | | | |
| per card) | 4 | 52.00 | 6.92 |
| Untreated Check | 4 | 43.75 | 6.75 |
| | | NS | |

Means within columns followed by the same letter are not significantly different (P>0.05); mean separations were obtained using Protected LSD (P=0.05). NS = not significant.