

Table 12. Canola yields (Mg/ha DM) compared across the GRAIN and FORAGE rotations with nested treatments of RH, SH, IM, and BM.

Crop	Year	Grain (G)			Forage (F)			G vs. F Constrast t p value
		RH (6 yr)	SH (6 yr)	SE	IM (6 yr)	BM (6 yr)	SE	
		Mg ha ⁻¹			Mg ha ⁻¹			
Canola	2010 ^{II}	1.42	1.01	0.30	1.14	1.12	0.66	0.661
	2011	2.06	1.99	0.25	1.53	1.68	0.23	0.031
	2012 ^x	2.02	1.12	0.34	1.11	1.35	0.34	0.494
ACROSS ROTATION COMPARISON		Tests of Fixed Effects						
Source of Variation		df	p value					
Year			2010	2011	2012			
Rotation		1	0.661	0.031	0.4937			
MainMgt(Rotation)		2	0.334	0.091	0.1051			
SubMgt(Rotation)		2	-	0.465	0.2132			
MainMgt*SubMgt(Rotation)		2	-	0.115	0.9771			

^x In 2012, Grain Rotation canola was corrected for yield loss.

^{II} In 2010, no submanagement treatments were in place at the start of this experiment.




Fig. 10. Canola oil production for main management (mgt) strategies nested with the Grain and Forage Rotations. For 2011, SE bars are shown, with at least 2 samples for each treatment. For 2012, only 1-2 samples were pressed per treatment so no SE bars are shown.

Table 13. Grain crop yields (Mg/ha DM) compared across the GRAIN and CORN-SOY rotations with nested treatments of RH, SH, IM, and BM.

Crop	Grain (G)			Corn-Soy (C-S)			(C-S) G vs. C-S	
	Year	RH (6 yr)	SH (6 yr)	SE	IM (2 yr)	BM (2 yr)	SE	p value
		Mg ha ⁻¹	Mg ha ⁻¹					p value
Corn Grain	2010	10.94	10.61	0.29	11.43	11.56	0.32	0.740
	2011	8.95	8.39	0.25	6.95	6.75	0.32	0.037
	2012	8.31	8.62	0.36	9.37	8.80	0.36	0.344
Soybean Grain ^{II}	2010	4.33	4.22	0.26	3.92	3.88	0.32	0.924
	2011	2.78	3.34	0.24	2.89	2.89	0.47	0.954
	2012	2.40	3.53	0.22	3.11	3.17	0.13	0.359
ACROSS ROTATION COMPARISON								
Tests of Fixed Effects								
Source of Variation	df	Den DF	p value					
Year			2010	2011	2012			
Rotation	1	3	0.585	0.084	0.193			
Crop (Rotation)	2	6	<0.001	<0.001	<0.001			
MainMgt (Rotation)	2	6	0.695	0.926	0.035			
Crop*MM (Rotation)	2	6	0.844	0.151	0.120			

^{II} No manure was applied to soybeans and in 2010, no prior manure management with corn happened.