

No Parcel Associated

RIVER BEND AGI MANN-TM1

General Features

Soybean Crop

Location

Soil Type

28Oct2023

Date

Summary

Selected BeCrop index to be improved

Here you will find the highest impact improvement opportunities.

SoilBiosustainability

MEDIUM

40






Insights

All the information shown in this microbial report is based on the detection presence of 652 different species









Summary



25% Actinobacteriota 23% Proteobacteria	Fungal	l Phylum distribution	
6% Mortierellomycota Bacterial Phylum distribution 25% Actinobacteriota 23% Proteobacteria 13% Myxococcota Ranks Not Detected Very low	80%	Ascomycota	
Bacterial Phylum distribution 25% Actinobacteriota 23% Proteobacteria 13% Myxococcota Ranks Not Detected Very low	11%	Basidiomycota	
Not Detected Very low	6%	Mortierellomycota	
23% Proteobacteria 13% Myxococcota Ranks Not Detected Very low	Bacter	rial Phylum distributio	n
Ranks Not Detected Very low	25%	Actinobacteriota	
Ranks Not Detected Very low			
Not Detected Very low	23%	Proteobacteria	
Not Detected Very low		_	
		_	
Low Medium		Myxococcota	
	13%	Myxococcota Ranks	Very low

Soil Quality

SOIL QUALITY	MEDIUM	FUNCTIONALITY	HIGH
BIODIVERSITY	HIGH	RESILIENCE	LOW



Health

HEALTH

Crop health according to the pathogens detected



FROGEYE LEAF SPOT STALK, LEAF, PD



WORLDWIDE INCIDENCE

((\(\cdot)\)) Widely spread

87 out of 100 parcels analysed are affected by Frogeye leaf spot

RISK LEVEL **VERY HIGH**

! FEATURED MICROORGANISM FOUND

related to Frogeye leaf spot

Fusarium oxysporum • FUNGUS

FUSARIUM ROT

SEED



WORLDWIDE INCIDENCE

((0)) Widely spread

97 out of 100 parcels analysed are affected by Fusarium rot

RISK LEVEL HIGH

! FEATURED MICROORGANISM FOUND

related to Fusarium rot

Fusarium oxysporum • FUNGUS



Slight Risk Detected



CHARCOAL ROT





PYTHIUM ROT



VERY LOW Risk level

NEOCOSMOSPORA STEM ROT

Not Detected

ANTHRACNOSE • LEPTOSPHAERULINA LEAF SPOT • PHOMOPSIS SEED DECAY • PHYMATOTRICHUM ROT PHYTOPHTHORA ROT
 POD AND STEM BLIGHT
 POWDERY MILDEW
 RED CROWN ROT
 RED

LEAF BLOTCH • RHIZOCTONIA ROT • RUST • SOUTHERN BLIGHT • STACHYBOTRYS ROOT ROT •

STEM CANKER • STEMPHYLIUM LEAF BLIGHT • SUDDEN DEATH SYNDROME • TARGET SPOT • WHITE MOLD



Health

Not Detected

WILDFIRE • YEAST SPOT OF PODS AND SEEDS • ATERNARIA LEAF SPOT • BACILLUS SEED DECAY • FUSARIUM BLIGHT OR WILT • BACTERIAL BLIGHT • BACTERIAL PUSTULE • BACTERIAL TAN SPOT • BACTERIAL WILT • BROWN SPOT • BROWN STEM ROT • CERCOSPORA LEAF BLIGHT AND PURPLE SEED STAIN • CHOANEPHORA LEAF BLIGHT • DOWNY MILDEW • DRECHSLERA BLIGHT

Biocontrol

FUNGICIDE AGENTS	MEDIUM	BACTERICIDE AGENTS	NOT DETECTED
INSECTICIDE AGENTS	VERY LOW	NEMATICIDE AGENTS	NOT DETECTED



HORMONE PRODUCTION VERY LOW Detected

Microbial phytohormone potential based on Microbial species detected

AUXIN PROD	UCTION (IAA)	
CELL DIVISION	STEM ELONGATION	
		VERY LOW
GIBBERELLIN	PRODUCTION (G	iΑ)
STEM ELONGATIO	ON GERMINATION	FLOWERING
		VERY LOW

CYTOKININ PROD	UCTION (CK)	
CELL PROLIFERATION	CELL DIFFERENTIATION	
		LOW

STRESS ADAPTATION 7
LOW Detected

Microbial species grouped according to their relationship with the metabolisms linked to the capability to withstand stress conditions




ACC DEAMINASE (ACC-D)	
PATHOGEN PROTECT. SALINITY PROTECT.	
DROUGHT PROTECT.	
	VERY LOW
SALICYLIC ACID (SA)	
DROUGHT PROTECT. SALINITY PROTECT.	
ALLEVIATE HEAVY METAL STRESS	
	LOW
ABSCISIC ACID (ABA)	
GROWTH REGULATION PLANT RESISTANCE	
INCREASE YIELDS	
	VERY LOW

Nutrition

Nutritional status based on the microbial mobilization of certain compounds

Major Compounds









Minor Compounds



LOW


Calcium transport







Chemical fertility ratings



Detrimental Elements

Sodium

Na 23 LB/AC

Na (M3)



BECROP

COPYRIGHT ® 2023 BIOME MAKERS INC. ALL RIGHTS RESERVED.

For research purposes only, the information is not advice, and should not be treated as such. Results relate only to the sample as received and information provided by the client. Biome Makers accepts no responsibility or liability for the origin, traceability or quality of samples prior to receipt by the laboratory, either of which may compromise the quality or accuracy of the results generated. No representation or warranty is given by Biome Makers, or any member or employee as to the accuracy of any test method or test results.

You must not rely on the information in the report as an alternative to agronomic advice from an appropriately qualified professional. Any action you take upon the information on this report is strictly at your own risk, Biome Makers will not be liable for the use of guidance in the report in respect of any business losses, including without limitation loss of or damage to profits, income, revenue, use, production, anticipated savings, business, contracts, commercial opportunities or goodwill. No part of this report may be reproduced or use for commercial or public use without permission in writing from Biome Makers.

These results are confidential and shared with the client only



Any further enquiry concerning this report will be attended at +1 (916) 378 8580 info@biomemakers.com





POWERED BY BECROP

Biome Makers, USA 202 Cousteau Place Suite 100 Davis, CA 95618, USA

+1 (916) 378 8580

Biome Makers, Europe Calle Estadio 9, Entreplanta C 47006 Valladolid, Spain

+34 983 950 945

info@biomemakers.com www.biomemakers.com