

Bochasi

On-Farm Recipe Trials and Yield Impact from
fermented compost (bochasi) for vegetables.

NC SARE Grant Funded FNC15-1010

Perkins' Good Earth Farm

Demotte, IN 46310

www.perkinsgoodearthfarm.com

Inoculation in chambers



3 recipes.

- Kitchen scraps
- Methane
Digester Solids
- Leaf Compost



Kitchen Bochasi going into the ground after inoculation. . .



Leaf Bochasi ready to be in ground . . .





Methane Digester Bochasi




Leaf Bochasi



Kitchen Scrap Bochasi

2014 Greenhouse Study at Purdue University

Dr. Hoagland's lab amended potting mix with the amendments (bokashi kitchen scraps, bokashi leaf litter, bokashi methane digests, or vermicompost) at a rate of 10%, 20% or 30%, and planted basil cv. genovese. Interestingly the leaf 10% and vermicompost 10% are both significantly greater than the control. And check out what happens to the leaf bokashi as the rates go up. More analysis is being conducted and another round of rates and bokashi will be tested in 2016. See chart below.





September 2016 Laying out two block designs and planting radish.

2016 Fall High Tunnel Pink Beauty Radish Trial. 2-25 plots, with 3 rows in each plot.

