


Pollen Percentage Tables and Bar Graphs: Percentages of each pollen type by date, July through October, rounded to nearest 1%. Plant list organized by approximate bloom time.


Quiet Dell WV, Harrison County. 1080 ft. elevation, Latitude 39.226.

Quiet Dell	2015	July		August		September	
Scientific Name	Common Name	HD 15 07 14	HD 15 07 29	HD 15 08 10	HD 15 08 24	HD 15 09 12	HD 15 09 25
Lonicera	Honeysuckle	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Magnolia	Magnolia	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Plantago	Plantain	1 0%	0 0%	6 2%	5 1%	0 0%	0 0%
Rubus / Rosa	Bramble Berries, Rose	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Melilotus & Trifolium repens	Clover, Sweet & White Ladino	193 48%	7 2%	10 3%	10 3%	6 2%	0 0%
Trifolium pratense	Clover, Red	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Sambucus	Elderberry	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Poaceae	Grass	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Castanea / Notholithocarpus	Chestnut / Chinkapin / Tanoak	67 17%	109 27%	47 12%	19 5%	0 0%	0 0%
Parthenocussus	Virginia Creeper type	1 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Cirsium arvense	Canada Thistle	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Tilia	Basswood	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Rhus glabra	Sumac, Smooth	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Chrysanthemum / Matricaria	Daisy / Chamomile type	0 0%	0 0%	4 1%	0 0%	0 0%	0 0%
Hosta	Hosta	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Typha	Cattail	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Eupatorium type (Asteraceae)	Thoroughwort type (Asteraceae)	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Oenothera, likely speciosa	Evening Primrose	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Hibiscus syriacus	Rose of Sharon	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Apiaceae (i.e. Daucus)	Wild Carrot	0 0%	0 0%	3 1%	4 1%	0 0%	0 0%
Dipsacus fullonums	Teasel	10 3%	11 3%	0 0%	0 0%	0 0%	0 0%
Rumex	Dock	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Centaurea cyanus type	Cornflower type	1 0%	0 0%	0 0%	0 0%	0 0%	0 0%


Quiet Dell: July-October 2015 Percentages



Clarksburg July-October 2015 Percentages



Jackson County July-October 2015 Percentages




Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.


Near Cool Ridge WV, Raleigh County. 3000 ft. elevation, about 37.636 latitude.

Raleigh County	2015	July			August		September		
Scientific Name	Common Name	ML 15 07 04	ML 15 07 17	ML 15 07 25	ML 15 08 06	ML 15 08 18	ML 15 09 05	ML 15 09 13	ML 15 09 31
Lonicera	Honeysuckle	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Magnolia	Magnolia	0 0%	0 0%	0 0%	2 1%	0 0%	2 1%	0 0%	0 0%
Plantago	Plantain	16 4%	103 26%	96 24%	44 11%	0 0%	18 5%	20 5%	83 21%
Rubus / Rosa	Bramble Berries, Rose	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Melilotus & Trifolium repens	Clover, Sweet & White Ladino	27 7%	123 31%	157 39%	48 12%	9 2%	7 2%	20 5%	43 11%
Trifolium pretense	Clover, Red	71 18%	0 0%	0 0%	0 0%	83 21%	0 0%	0 0%	0 0%
Sambucus	Elderberry	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Poaceae	Grass	0 0%	16 4%	8 2%	3 1%	0 0%	0 0%	0 0%	0 0%
Castanea / Notholithocarpus	Chestnut / Chinkapin / Tanoak	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Parthenocussus	Virginia Creeper type	0 0%	1 0%	5 1%	1 0%	0 0%	0 0%	0 0%	190 48%
Cirsium arvense	Canada Thistle	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Tilia	Basswood	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Rhus glabra	Sumac, Smooth	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Chrysanthemum / Matricaria	Daisy / Chamomile type	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Hosta	Hosta	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Typha	Cattail	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Eupatorium type (Asteraceae)	Thoroughwort type (Asteraceae)	247 62%	22 6%	11 3%	0 0%	0 0%	0 0%	0 0%	0 0%
Oenothera, likely speciosa	Evening Primrose	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Hibiscus syriacus	Rose of Sharon	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Apiaceae (i.e. Daucus)	Wild Carrot	1 0%	0 0%	0 0%	9 2%	8 2%	19 5%	7 2%	15 4%
Dipsacus fullonums	Teasel	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
Rumex	Dock	0 0%	0 0%	4 1%	0 0%	0 0%	0 0%	0 0%	0 0%
Centaurea cyanus type	Cornflower type	0 0%	5 1%	3 1%	1 0%	0 0%	0 0%	0 0%	0 0%

Raleigh County July-October 2015 Percentages




Salem July-October 2013 Percentages




Scientific Name	Common Name	July 2		July 16		July 18		July 25		July 31		Aug. 8		Aug. 19		Aug. 25		Sept. 4		Sept. 10		Sept. 25		Oct. 9			
Ocimum basilicum	Sweet Basil	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Cichorium / Lactuca type	Chickory, Lettuce	0	0%	0	0%	0	0%	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	3	1%	7	4%		
Phytolacca	Pokeweed	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Zea mays	Corn	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Chenopodium / Amaranth	Lambsquarters / Amaranth	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	2	1%	0	0%	0	0%
Rhus copallinum	Sumac, Winged	0	0%	0	0%	0	0%	3	1%	332	83%	395	99%	325	81%	82	21%	1	0%	0	0%	0	0%	0	0%	0	0%
Verbena type	Verbena type	0	0%	0	0%	0	0%	0	0%	3	1%	3	1%	3	1%	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Verbesina / Helianthus	Wingstem / Sunflower type	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	12	3%	132	33%	56	14%	24	6%	2	1%	0	0%	0	0%
Vernonia	Ironweed	0	0%	0	0%	0	0%	0	0%	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Elephantopus	Elephant's Foot	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	10	3%	5	1%	2	1%	0	0%
Humulus, Can'bis	Hops / Hemp	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Polygonum cusp.	Jap. Knotweed	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Ambrosia	Ragweed (Giant?)	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	15	4%	2	1%	0	0%	0	0%
Cirsium altiss.	Common Thistle	0	0%	0	0%	2	1%	2	1%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Clematis virginiana	Virgin's Bower	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	23	6%	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Conoclinium / Centaurea	Mistflower / Knapweed	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	6	2%	7	2%	22	6%	41	10%	6	2%	0	0%	0	0%
Dianthus type	Sweet William	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Xanthium type	Cocklebur type	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	9	2%	7	2%	3	1%	0	0%	0	0%	0	0%
Impatiens capensis	Jewel-weed	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	3	1%	6	2%	1	0%	0	0%	0	0%	0	0%
Persicaria.	Smartweed type	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Sedum	Late Stonecrop	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Solidago / Aster / Ageratina.	Goldenrod, Aster, Snakeroot	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	125	31%	274	69%	304	76%	370	93%	4	2%		
	Unidentified	0	0%	1	0%	0	0%	2	1%	27	7%	0	0%	0	0%	2	1%	2	1%	6	2%	2	1%	2	1%	11	6%
Salem 2014		400	100%	400	100%	400	100%	400	100%	400	100%	400	100%	400	100%	400	100%	400	100%	400	100%	400	100%	400	100%	200	100%

Salem July-October 2014 Percentages



Salem July-October 2015 Percentages



This material is based upon work supported by Sustainable Agriculture Research and Education in the National Institute of Food and Agriculture, U.S. Department of Agriculture, under Award No. 2014-38640-22161. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author and do not necessarily reflect the view of the U.S. Department of Agriculture.