

Trial crop	Steep Time (days)	pH	N	P	K	Al	B	Ca	Cl	Co	Cu	Fe
Rainwater	0			0	2.18	0	0	0		0	0	0
<i>A. retroflexus</i>	3	5.3		35.65	494	0.34	0.04	3.26		0	0	1.13
<i>A. retroflexus</i>	5	5.2		57.19	755.28	0.48	0.05	2.34		0	0	1.29
<i>C. album</i>	3	5.2		41.11	789.55	0.49	0.18	0.77		0	0.1	0.93
<i>C. album</i>	5	5.3		54.32	903.54	0.53	0.21	0.52		0	0.04	1.07
<i>S. peregrinum</i>	3	5.8		42.62	889.65	0	0.25	37.19		0	0.06	0.61
<i>S. peregrinum</i>	5	4.9		42.74	744.12	0	0.26	38.67		0	0.03	0.84
<i>T. officinale</i>	3	4.9		62.05	634.47	0	0.16	84.53		0	0.05	0.71
<i>T. officinale</i>	5	4.8		54.95	585.13	0.08	0.25	99.8		0	0.03	1.11
<i>T. pratense</i>	3	4.8		18.2	293.47	0.08	0.02	52.76		0	0.02	0.28
<i>T. pratense</i>	5	4.9		22.48	321.82	0.06	0.03	54.94		0	0.02	0.34
<i>U. dioica</i>	3	8.2		58.15	494.78	0.05	0.31	306.73		0	0.31	0.11
<i>U. dioica</i>	5	4.9		89.31	599.39	0.05	0.48	354.99		0	0.08	0.25

Trial crop	Steep Time (days)	pH	I	Mg	Mn	Mo	Na	Ni	S	Se	Si	Zn
Rainwater	0			0.01	0	0	0.16	0	0.08			0.06
<i>A. retroflexus</i>	3	5.3		14.52	0.27	0	0.62	0	105.22			0.17
<i>A. retroflexus</i>	5	5.2		25.35	0.45	0	1.09	0	99.05			0.27
<i>C. album</i>	3	5.2		48.35	0.5	0	0.32	0	18.82			0.42
<i>C. album</i>	5	5.3		56.43	0.58	0	1.02	0	24.19			0.55
<i>S. peregrinum</i>	3	5.8		12.24	0.32	0	0.79	0	57.64			0.16
<i>S. peregrinum</i>	5	4.9		14.39	0.34	0	0.74	0	131.63			0.15
<i>T. officinale</i>	3	4.9		27.41	0.43	0	1.57	0	51.07			0.18
<i>T. officinale</i>	5	4.8		29.53	0.53	0	2.22	0	18.56			0.24
<i>T. pratense</i>	3	4.8		12.58	0.19	0	1.44	0	36.37			0.14
<i>T. pratense</i>	5	4.9		14.57	0.22	0	1.82	0	48.69			0.18
<i>U. dioica</i>	3	8.2		37.8	1.01	0	1.19	0	45.68			0.38
<i>U. dioica</i>	5	4.9		42.8	1.35	0	0.59	0	116.81			0.15

Table 10: Liquid nutrient analysis, expressed in ppm, for plain rainwater and 6 trial crops steeped in rainwater. The highest nutrient concentrations at 3 and 5 days are displayed in bold.