

# Vetiver Grass for the Virgin Islands

Supported by a grant from Southern SARE  
EDS 24-069 and

A Climate Smart Hub Grant

Laura Martin

June 2024

# Vetiver Grass

- Three stages in the project
  - General information presentation
  - Hands on workshop to learn and practice vetiver maintenance, propagation, and planting. Vetiver slips will be given to the participants. (20-40 slips)
  - Develop Vetiver Nursery both St Thomas and St Croix (Guayacan Farm)
  - Evaluation – Phone call to review the planting and any problems. Farm visit to see if the plantings have been successful

# Vetiver Grass



# Vetiver Grass

- *Chrysopogon zizanioides* (L.) Roberty (1)
- Family: Poaceae
- Cultivar: Sunshine
- Common Local Names
- Jamaica: khus khus
- Puerto Rico: pachuli
- Haiti: herbe vetivert
- India: khas khas

# Vetiver Grass

- Native to India, is a fast-growing noninvasive tropical perennial bunch grass
- It is related to Sorghum and has some similarities to other aromatic grasses such as lemongrass (*Cymbopogon citratus*) and citronella (*Cymbopogon nardus*). **(2)**
- There are four+ types of *Chrysopogon zizanioides* the domesticated type which originated in southern India and is sterile and the wild type from northern India that is fertile. **(1)**
- The wild type which is found in Africa, China, and Australia can become an invasive weed. In particular the wild type in Africa grows along riverbanks and is easily confused with the sterile variety.
- *Chrysopogon zizanioides* (L.) Roberty is sterile and one cultivar Sunshine that was initially cultivated in Sunshine, Louisiana is now the primary cultivar found worldwide. **(2)** All of the sterile cultivars have been studied and have been found to be genetically the same. **(2)** The USDA has listed the *Chrysopogon zizanioides* (L.) Roberty Sunshine cultivar as being noninvasive.



# Vetiver Grass

- Develops an extensive dense and deep root system.
- This root system does not produce lateral roots therefore the bunches do not spread laterally.
- It has associated nitrogen processing mycorrhiza, that explains its green growth throughout the year
- In the first two years following planting this root system can extend up to 3 m deep creating a dense underground wall that stabilizes the soil.(3)
- The roots have a tensile strength of 1/6 that of mild steel, and when planted in hedges they will increase soil shear strength by up to 45%.
- When the grass is planted very closely it produces a dense hedge up to 7 feet tall



# Growing

- Very adaptable
- Prefers sunny, hot, and humid tropical climate
- Tolerates:
  - Acid, alkaline, or saline soils,
  - Drought or flooding,(4) and
  - High levels of heavy metals such as lead, aluminum, cadmium, arsenic, zinc, and manganese. (1)
- It is also able to survive freezing and fire. (4)

# Vetiver Grass - Planting

- Prepare slips – cut to 6-12 inches
  - Plant in furrows or holes along the contour
  - Apply manure (200 lbs) or fertilizer (20lbs) per 300 feet
  - Plant 4-6 inches apart
  - Water and weed initially
- (3)



# Management

- Older plants will tolerate weeds except vines that may cover it.
- When the plant is 2-3 feet high prune it to 10 to 12 inches.
- Use the prunings for mulch.
- To propagate:
  - Take slips from the lower edge of the bunch
  - Soak for 24 hrs
  - Plant or pot
- Cut back yearly – remove dried shoots
- Management is different for core vs service hedgerows



# Pests

- Very few pests
- Termites and ants in the roots
- Stem borer but does not affect the vetiver
- Appears to be repellant to other pests
- It is a trap crop for *Chilo partellus*, *Busseola fusca*, *Sesamia calamistis*, *Sesamia inferens* – *maize and sorghum stem borers*. Also, for the *Yellow Stem Borer* (*rice stem borer*). *Female moths fly 25m to lay eggs in the vetiver.*
- *Supports parasitoid wasps and predatory insects*

# Vetiver system

- Promoted by Vetiver Network International
- Used in 100 countries
- Agriculture
  - Erosion control
  - Water conservation
  - Mulch
  - Forage
  - Pest control
  - Soil fertility
- Engineering
  - Slope stabilization
  - Roads
  - Dams and ponds
  - Drains, Guts, and Gullies
- Disaster Mitigation
  - Landslide Prevention
  - Land Rehabilitation – phytoremediation
  - Water Rehabilitation
  - Watershed Protection
  - Coastal Protection
- Other
  - Oil
  - Roofing
  - Crafts

# Vetiver in the Virgin Islands

- Agriculture
  - Erosion control
  - Water conservation
  - Mulch
  - Forage
  - Pest control
  - Soil fertility

# Uses on a Farm

- Boundaries



Vetiver Network International

- Erosion control



- Crop management



Vetiver Network International

- Remediation



Vetiver Network International


# Erosion Control and Bioterracing

- Planted as a hedge along a contour line, forms a filter barrier this
  - slows down the flow of rainfall runoff water so that the erosive velocity of water is halted, and
  - traps sediment carried by the runoff on the upslope side of the hedge.
- The sediment depositions increase and the slope gradient becomes less,
  - further slowing the velocity of runoff
  - Vetiver continues to grow and maintains effectiveness as these natural terrace risers gain height.
- Able to reduce soil erosion by up to 90%
- Reported soil loss reductions of over 100tons/ha have been reported (CIAT, Colombia)
- Also acts as a windbreak,
- Picture of erosion control in Zimbabwe



[Vetiver Network International](#)

# Erosion Control



# Erosion Control and Bioterracing

- Filled behind  
hedgerow 8 inches



# Erosion Control




# Erosion Control and Bioterracing



**Figure 7-31c. Vetiver grass, planted on the extreme edge of each terrace, stabilizes the terraces without interfering with the essential drainage between the stones.**



**Figure 7-31d. The vetiver root system stabilizes the entire rock face of the vulnerable masonry risers.**



# Water conservation

- 1 inch of rain equals 27,000-gal water over one acre – 65,500-gal runoff from 1 mile of two-lane paved road
- Vetiver hedgerows will:
  - Reduce water runoff by as much as 70% particularly in extreme rainfall events
  - Improve water infiltration, and
  - increase soil moisture enhancement
- Vetiver hedgerows generally planted on the contour and every 6 feet of vertical distance.
- The runoff is slowed and spread over a larger area.
- Experimental works in India with vetiver grass showed significant increase of soil moisture and crop yields (10)

# Water Conservation



Vetiver Network International

# Water Conservation



[Vetiver Network International](#)



# Erosion Control and Water Conservation



Vetiver International

# Mulch, Forage

- Vetiver grass when used as a mulch further reduces soil loss from erosion and increases soil moisture. The mulch reduces soil temperature by as much as 15°C under extreme heat conditions; mulch degradation improves soil organic matter, enhancing soil micro flora and fauna activity, recycles soil nutrients, and reduces weed growth.
- Vetiver Hay is easily sun dried in a few hours, and produces 10-20 dry-tons per ha/year under rainfed conditions more with improved nutrition and moisture
- As it decomposes adds SOC
- Forage – Moderate Quality Feed with Total Digestible Nutrients (TDN) of 55-60%





# Pest control,

- Nonhost for nematodes – roots repellant to southern root knot, *Meloidogyne incognita*
- Dead-end trap plant for stem borer, *Chilo suppressalis*
- Vetiver grass is a habitat for beneficial parasitoid wasps

# Vetiver in the Virgin Islands

- Engineering
- Slope stabilization
  - Roads
  - Dams and ponds
  - Drains, Guts, and Gullies

# Slope stabilization

– Drains, Guts, and Gullies



2,100 plants in total. Vetiver system Puerto Rico.  
Samuel Hernandez



Bioseed Puerto Rico Inc



Vetiver International

# Roads



Picture by Cristina Chanes Nov 2024 Recent rains on St Thomas

# Roads

- Used to protect roads from the effects of water runoff



# Roads



# Roads



# Ponds and Dams

- Pond banks are affected by erosion and sedimentation decreasing capacity
- Banks and spillways overflow
- Contamination from run-off



# Dams and ponds



# Vetiver in the Virgin Islands

## Disaster Mitigation

- Landslide Prevention
- Land Rehabilitation
- Watershed Protection
- Coastal Protection



# Flood-Storm Water Control



# Land and Water Rehabilitation

- **Phytoremediation** basically refers to the use of plants and associated soil microbes to reduce the concentrations or toxic effects of contaminants in the environment.
- Vetiver's roots absorb heavy metals from soil and water, and the plant produces chelators and organic acids to bind with the toxic metal ions. The metal and chelator complex is then sequestered by the plant's cells, inactivating the metal ions. **Phytodegradation**
- 3 year study on reducing nitrogen and phosphorous runoff on sloping cropland in China with Vetiver Grass Hedgerows(VGH)(14)
- 5 fertilization treatments studied
  - VGH plus organic fertilizer
  - VGH plus inorganic fertilizer
  - either organic or inorganic fertilizer without VGH, and
  - no VGH or fertilizer (Control).
- Runoff pollutants were significantly reduced with the VGH 98% inorganic and 94% organic fertilizers
- Crop yields were increased

# Land and Water Rehabilitation

- In Antigua and Barbuda, Vetiver grass is being used to ameliorate and rehabilitate the Cooks Landfill, which borders one of the country's largest mangrove swamps.



# Land and Water Rehabilitation

- May also be used to treat water:
- Agricultural chemicals – N, P, Pesticides
- Effluent – fish, animals, human – reduces coliforms
- Industrial heavy metals



# Water remediation





Vetiver Network International



# Coastal Protection

- Prevents drifting of sand
- Prevents erosion of the beach
- Protects the coast, mangroves, and reefs from pollution
- Tolerates high salinity will die if salinity is 45%
- Seawater is 3.5%



# Coastal Protection





# Other

- Oil – 90% of all perfumes based on vetiver oil
- Primarily produced in Haiti and Indonesia remainder in India
- 2 years to harvest – the harvest increases erosion
- On an average one hectare of vetiver plantation yields 3-4 tones of roots which on distillation yield 15 to 16 kg of oil or 33 lbs \$16335
- 55 gallons=400lb sells for \$198,000
- 15 to 16 kg of oil or 33 lbs = \$16335
- 55gallons= 209 liters 6967 oz retail \$243,845
- 15 to 16 kg of oil yields 17.25 liters 574.75 oz \$20,000
- \$35-\$100 fl oz retail

# Other

- Vetiver oil is antimicrobial particularly against Staphylococcus and antifungal
- Kenya uses an infusion water - it is used for bathing to prevent and treat skin infections
- Several countries make shoes using the roots for the soles to help prevent infection

# Other



[Vetiver Network International](#)

# Other



Vetiver Network International

# Other



[Vetiver Network International](#)



# Results 1<sup>st</sup> year

- 73 individuals (77 attendees)
- 75% Farmers/Gardeners

Island	#	erosion	Water runoff	Water conservation	Roads	Terrain
STJ	5	4 -80%			4 -80%	4 -80%
STT	18	17-94%	12-67%	8-44%	11-61%	11-61%
STX	15	13-87%	13-87%	7-47%	10-67%	10-67%

# Results 1<sup>st</sup> year Workshops

- 20 Participants – 640 slips given along with 70 plants and one hedgerow of 30 feet

	#	erosion	Water runoff	Water conservation	Roads	Terrain
STJ	1	1				
STT	11	11 - 100%	7 - 64%	7 - 64%	7 - 64%	6 – 56%
STX	5	5 -100%	5 - 100%	3 - 60%	3 -60%	3 - 60%
Total	16	16	12 - 75%	10 - 63%	10 - 63%	9 - 56%

# Vetiver Resources

## ETHIOPIA WATER CONSERVATION

- <https://www.youtube.com/watch?v=At7XQSw6ixY>
- **EL VETIVER, SU MANEJO Y FUNCIONAMIENTO EN LA AGRICULTURA | Jairo Restrepo Rivera**  
<https://www.youtube.com/watch?v=TghgiekDo00&t=978s>

## **GROUP**

- Facebook – International Vetiver Group

# References

1. Rojas-Sandoval. *Chrysopogon zizanioides* (vetiver). CABI Compendium. Feb 11, 2020. <https://www.cabidigitallibrary.org/doi/full/10.1079/cabicompendium.18528934>.
2. S. Barnard, V. Diedericks, K.R. Conradie. Genetic diversity of vetiver isolates (*Chrysopogon zizanioides/nigritanus*) available in South Africa based on *ITS*, *ndhF* and *rbcl* sequencing analyses. South African Journal of Botany Volume 86, May 2013. <https://www.sciencedirect.com/science/article/pii/S0254629913000318>
3. Vetiver Grass Technology. The vetiver Network International. <https://www.vetiver.org>
4. Dick Grimshaw, Feb 1 2026. VETIVER AS FORAGE AND ITS MANAGEMENT. Vetiver Grass Technology (VGT) Guides and Design Standards
5. Tropical Plants Database, Ken Fern. tropical.theferns.info. 2023-03-12. <[tropical.theferns.info/viewtropical.php?id=Chrysopogon+zizanioides](http://tropical.theferns.info/viewtropical.php?id=Chrysopogon+zizanioides)
6. Truong P, Van TT, Pinner E, 2008. Vetiver system applications technical reference manual. The Vetiver Network International.
7. The Vetiver Network West Indies. <https://www.tvnwi.org>
8. Datta R, Quispe MA, Sarkar D. Greenhouse study on the phytoremediation potential of vetiver grass, *Chrysopogon zizanioides* L., in arsenic-contaminated soils. Bull Environ Contam Toxicol. 2011 Jan;86(1):124-8. doi: 10.1007/s00128-010-0185-8. Epub 2010 Dec 29. PMID: 21190015
9. Truong, Paul. The global impact of vetiver grass technology on the environment
10. Proceedings of the Second International Conference on Vetiver. Jan 2000

# References

10. B. Deesaeng, J. Pheunda, C. Onarsa and A. Boonsaner. Vetiver Potential For Increasing Groundwater Recharge. Watershed Research Division, Watershed Conservation and Management Office, National Park, Wildlife and Plant Conservation Department, Phaholyothin Rd., Chatuchak, Bangkok, Thailand 10900
11. J. Van den Berg 1 , C. Midega 2 , L. J. Wadhams 3 , and Z. R. Khan<sup>2</sup> 1. Can Vetiver Grass be Used to Manage Insect Pests on Crops? 1 School of Environmental Sciences, Potchefstroom University for Christian Higher Education, Private Bag X 6001, Potchefstroom, South Africa 2 International Center for Insect Physiology and Ecology, P.O. Box 30772, Nairobi, Kenya 3 Chemical Ecology Group, Rothamsted Research, Harpenden, Herts, AL5 2JQ, United Kingdom. [https://www.vetiver.org/ICV3-Proceedings/SA\\_stem%20borer.pdf](https://www.vetiver.org/ICV3-Proceedings/SA_stem%20borer.pdf)
12. P. Nopmalai, A. Sukhkasem, K. Kanjanathanaset, K. Wattanaprapat and I. Meesing. Study on Carbon Storage and Carbon Balance in Vetiver Grass Cultivation Areas in Northern Thailand. Land Development Department, Chatuchak, Bangkok, Thailand, 10900
13. Panja S, Sarkar D, Datta R. Removal of antibiotics and nutrients by Vetiver grass (*Chrysopogon zizanioides*) from secondary wastewater effluent. Int J Phytoremediation. 2020;22(7):764-773. doi: 10.1080/15226514.2019.1710813. Epub 2020 Jan 15. PMID: 31941351.
14. Oshunsanya SO, Li Y, Yu H. Vetiver grass hedgerows significantly reduce nitrogen and phosphorus losses from fertilized sloping lands. Sci Total Environ. 2019 Apr 15;661:86-94. doi: 10.1016/j.scitotenv.2019.01.129. Epub 2019 Jan 14. PMID: 30665135.
15. Tessema B, Wilson B, Daniel H, Kristiansen P, Baldock JA. Functional Links between Biomass Production and Decomposition of Vetiver (*Chrysopogon zizanioides*) Grass in Three Australian Soils. Plants (Basel). 2022 Mar 15;11(6):778. doi: 10.3390/plants11060778. PMID: 35336660; PMCID: PMC8950612.