

Citations

- Allred, B. W., Jones, M. O., Naugle, D. E., Twidwell, D., & Maestas, J. D. (2021). Improving Landsat predictions of rangeland fractional cover with multitask learning and uncertainty. *Methods in Ecology and Evolution*, 12(7), 1277–1289. <https://doi.org/10.1111/2041-210X.13564>
- Bailey, D. W. (2005). Identification and creation of optimum habitat conditions for livestock. *Rangeland Ecology & Management*, 58(2), 109-118. <https://doi.org/10.2111/03-147.1>
- Beery, S., Morris, D., & Yang, S. (2019). Efficient Pipeline for Camera Trap Image Review (arXiv:1907.06772). arXiv. <https://doi.org/10.48550/arXiv.1907.06772>
- Boonstra, R. (2005). Equipped for Life: The Adaptive Role of the Stress Axis in Male Mammals. *Journal of Mammalogy*, 86(2), 236–247. <https://doi.org/10.1644/BHE-001.1>
- Braun, V., & Clarke, V. (2023). Toward good practice in thematic analysis: Avoiding common problems and being a knowing researcher. *International journal of transgender health*, 24(1), 1-6. <https://doi.org/10.1080/26895269.2022.2129597>
- Bristow, D. J., & Holmes, D. S. (2007). Cortisol levels and anxiety-related behaviors in cattle. *Physiology & Behavior*, 90(4), 626–628. <https://doi.org/10.1016/j.physbeh.2006.12.009>
- Bürkner, P.-C. (2017). brms: An R Package for Bayesian Multilevel Models Using Stan. *Journal of Statistical Software*, 80, 1–28. <https://doi.org/10.18637/jss.v080.i01>
- Caceres, S., Moreno, J., Crespo, B., Silvan, G., & Illera, J. C. (2023). Physiological stress responses in cattle used in the Spanish rodeo. *Animals*, 13(16), 2654. <https://doi.org/10.3390/ani13162654>
- Campbell, S., Greenwood, M., Prior, S., Shearer, T., Walkem, K., Young, S., Bywaters, D., & Walker, K. (2020). Purposive sampling: Complex or simple? Research case examples. *Journal of Research in Nursing*, 25(8), 652–661. <https://doi.org/10.1177/1744987120927206>
- Carpenter, B., Gelman, A., Hoffman, M. D., Lee, D., Goodrich, B., Betancourt, M., Brubaker, M., Guo, J., Li, P., & Riddell, A. (2017). Stan: A Probabilistic Programming Language. *Journal of Statistical Software*, 76, 1–32. <https://doi.org/10.18637/jss.v076.i01>
- Chambers, J. M., Wyborn, C., Ryan, M. E., Reid, R. S., Riechers, M., Serban, A., Bennett, N. J., Cvitanovic, C., Fernández-Giménez, M. E., Galvin, K. A., Goldstein, B. E., Klenk, N. L., Tengö, M., Brennan, R., Cockburn, J. J., Hill, R., Munera, C., Nel, J. L., Österblom, H., Meadow, A. M., ... Pickering, T. (2021). Six modes of co-production for sustainability. *Nature Sustainability*, 4(11), 983–996. <https://doi.org/10.1038/s41893-021-00755-x>

- Chen, Y., Arsenault, R., Napper, S., & Griebel, P. (2015). Models and methods to investigate acute stress responses in cattle. *Animals*, 5(4), 1268–1295. <https://doi.org/10.3390/ani5040402>
- Clarfeld, L. A., Gieder, K. D., Fuller, A., Miao, Z., Sirén, A. P. K., Webb, S. M., Morelli, T. L., Wilson, T. L., Kilborn, J., Callahan, C. B., Prout, L. S., Cliche, R., Patry, R. K., Bernier, C., Staats, S., Wixsom, S., & Donovan, T. M. (2025). DeepFaune New England: A Species Classification Model for Trail Camera Images in Northeastern North America. *Ecology and Evolution*, 15(11), e72174. <https://doi.org/10.1002/ece3.72174>
- Clarke, V., & Braun, V. (2017). Thematic analysis. *The Journal of Positive Psychology*, 12(3), 297–298. <https://doi.org/10.1080/17439760.2016.1262613>
- Esri. (2025). ArcGIS Pro (Version 3.5) [Computer software]. <https://www.esri.com>
- Fazio, J. M., Freeman, E. W., Bauer, E., Rockwood, L., Brown, J. L., Hope, K., Santymire, R. M., & Parsons, E. C. M. (2020). Longitudinal fecal hormone monitoring of adrenocortical function in zoo-housed fishing cats (*Prionailurus viverrinus*) during institutional transfers and breeding introductions. *PLOS ONE*, 15(3), e0230239. <https://doi.org/10.1371/journal.pone.0230239>
- Fereday, J., & Muir-Cochrane, E. (2006). Demonstrating Rigor Using Thematic Analysis: A Hybrid Approach of Inductive and Deductive Coding and Theme Development. *International Journal of Qualitative Methods*, 5(1), 80–92. <https://doi.org/10.1177/160940690600500107>
- Fisher, R. A. (1925). *Statistical methods for research workers*. Oliver & Boyd. <https://doi.org/10.1016/B978-044450871-3/50148-0>
- Ganskopp, D., & Vavra, M. (1987). Slope use by cattle, feral horses, deer, and bighorn sheep. *Northwest science*, 61(2).
- Gelman, A., & Rubin, D. B. (1992). Inference from Iterative Simulation Using Multiple Sequences. *Statistical Science*, 7(4), 457–472. <https://doi.org/10.1214/ss/1177011136>
- Gelman, A., Carlin, J. B., Stern, H. S., & Rubin, D. B. (2013). *Bayesian Data Analysis* (3rd ed.). Chapman and Hall/CRC. <https://doi.org/10.1201/9780429258411>
- Gerlach, B. M. (2014). The effects of exercise on beef cattle health, performance, and carcass quality; and the effects of extended aging, blade tenderization, and degree of doneness on beef aroma volatile formation (Doctoral dissertation, Kansas State University). <https://krex.k-state.edu/handle/2097/17229>
- Gonzalez, M. N., Wilson, S., Nickerson, R., Hyde, M., Purdy, C., Young, J. K., et al. (2024). Final Report: Assessment Of The Northeast Washington Wolf-Livestock

- Google. (2026). SpeciesNet wildlife image classification software [Computer software].
<http://github.com/google/cameratrapai>
- Gy, H., Kulcsár, M., & Rudas, P. (2002). Clinical endocrinology of thyroid gland function in ruminants. *Veterinárni Medicína*, 47(7), 199–210. DOI: 10.17221/5824-VETMED
- Hart, R. H., Bissio, J., Samuel, M. J., & Waggoner, J. W. (1993). Grazing systems, pasture size, and cattle grazing behavior, distribution and gains. *Journal of Range Management*, 46:81-87.
- Heimbürge, S., Kanitz, E., & Otten, W. (2019). The use of hair cortisol for the assessment of stress in animals. *General and Comparative Endocrinology*, 270, 10–17.
<https://doi.org/10.1016/j.ygcen.2018.09.016>
- Hu, Y., Ferrario, C. R., Maitland, A. D., Ionides, R. B., Ghimire, A., Watson, B., Iwasaki, K., White, H., Xi, Y., Zhou, J., & Ye, B. (2023). LabGym: Quantification of user-defined animal behaviors using learning-based holistic assessment. *Cell Reports Methods*, 3(3).
<https://doi.org/10.1016/j.crmeth.2023.100415>
- Hyde, M., Breck, S. W., Few, A., Beaver, J., Schrecengost, J., Stone, J., Krebs, C., Talmo, R., Eneas, K., Nickerson, R., Kunkel, K. E., & Young, J. K. (2022). Multidisciplinary engagement for fencing research informs efficacy and rancher-to-researcher knowledge exchange. *Frontiers in Conservation Science*, 3.
<https://doi.org/10.3389/fcosc.2022.938054>
- Kim, W.S., Ghassemi Nejad, J., & Lee, H.G. (2023). Impact of Cold Stress on Physiological, Endocrinological, Immunological, Metabolic, and Behavioral Changes of Beef Cattle at Different Stages of Growth. *Animals: An Open Access Journal from MDPI*, 13(6), 1073.
<https://doi.org/10.3390/ani13061073>
- Kruskal, W. H., & Wallis, W. A. (1952). Use of Ranks in One-Criterion Variance Analysis. *Journal of the American Statistical Association*, 47(260), 583–621.
<https://doi.org/10.1080/01621459.1952.10483441>
- LANDFIRE. (2023). LANDFIRE Existing Vegetation Type and Elevation (US_220) (Version US_220) [Dataset]. U.S. Department of Agriculture Forest Service & U.S. Department of the Interior Geological Survey. <http://landfire.gov>
- Laundré, J. W., Hernández, L., & Altendorf, K. B. (2001). Wolves, elk, and bison: Reestablishing the “landscape of fear” in Yellowstone National Park, U.S.A. *Canadian Journal of Zoology*, 79(8), 1401–1409. <https://doi.org/10.1139/z01-094>
- MacDougall-Shackleton, S. A., Bonier, F., Romero, L. M., & Moore, I. T. (2019). Glucocorticoids and “Stress” Are Not Synonymous. *Integrative Organismal Biology*, 1(1), obz017. <https://doi.org/10.1093/iob/obz017>

- Maly, M. A., Edwards, K. L., Farin, C. E., Koester, D. C., & Crosier, A. E. (2018). Assessing puberty in ex situ male cheetahs (*Acinonyx jubatus*) via fecal hormone metabolites and body weights. *General and Comparative Endocrinology*, 268, 22-33.
- Meyer, J., Novak, M., Hamel, A., & Rosenberg, K. (2014). Extraction and Analysis of Cortisol from Human and Monkey Hair. *Journal of Visualized Experiments: JoVE*, (83), 50882. <https://doi.org/10.3791/50882>
- Moya, D., Schwartzkopf-Genswein, K. S., & Veira, D. M. (2013). Standardization of a noninvasive methodology to measure cortisol in hair of beef cattle. *Livestock Science*, 158(1-3), 138-144. <https://doi.org/10.1016/j.livsci.2013.10.007>
- Nakajima, N., Doi, K., Tamiya, S., & Yayota, M. (2019). Effects of direct exposure to cold weather under grazing in winter on the physiological, immunological, and behavioral conditions of Japanese Black beef cattle in central Japan. *Animal Science Journal*, 90(8), 1033-1041. <https://doi.org/10.1111/asj.13248>
- Naugle, D. E., Allred, B. W., Jones, M. O., Twidwell, D., & Maestas, J. D. (2020). Coproducing Science to Inform Working Lands: The Next Frontier in Nature Conservation. *BioScience*, 70(1), 90-96. <https://doi.org/10.1093/biosci/biz144>
- Nielsen, S. S., Alvarez, J., Boklund, A., Dippel, S., Dorea, F., Figuerola, J., Herskin, M. S., Michel, V., Miranda Chueca, M. A., Nannoni, E., Nonno, R., Riber, A. B., Stahl, K., Stegeman, J. A., Thulke, H., Tuyttens, F., Cozzi, G., Knierim, U., Martí, S., Winckler, C. (2025). Welfare of beef cattle. *EFSA Journal*, 23(7), e9518. <https://doi.org/10.2903/j.efsa.2025.9518>
- NOAA National Centers for Environmental Information. (2024). Climate Data Online (CDO) [Dataset]. National Oceanic and Atmospheric Administration. <https://www.ncei.noaa.gov/cdo-web/>
- Otter.ai, Inc. (2025). Otter.ai [Computer software]. <https://otter.ai>
- PRISM Climate Group. (2024). PRISM daily climate data [Dataset]. Oregon State University. <https://prism.oregonstate.edu>
- Pryce, J. E., Coffey, M. P., & Simm, G. (2001). The Relationship Between Body Condition Score and Reproductive Performance. *Journal of Dairy Science*, 84(6), 1508-1515. [https://doi.org/10.3168/jds.S0022-0302\(01\)70184-1](https://doi.org/10.3168/jds.S0022-0302(01)70184-1)
- Putman, S. B., Brown, J. L., Saffoe, C., Franklin, A. D., & Pukazhenthil, B. S. (2019). Linkage between fecal androgen and glucocorticoid metabolites, spermaturia, body weight and onset of puberty in male African lions (*Panthera leo*). *Plos One*, 14(7), e0217986. <https://doi.org/10.1371/journal.pone.0217986>

- R Core Team. (2025). R: A language and environment for statistical computing (Version 4.5.0) [Computer software]. <http://www.r-project.org/>
- Ravagnolo, O., Misztal, I., & Hoogenboom, G. (2000). Genetic Component of Heat Stress in Dairy Cattle, Development of Heat Index Function. *Journal of Dairy Science*, 83(9), 2120–2125. [https://doi.org/10.3168/jds.S0022-0302\(00\)75094-6](https://doi.org/10.3168/jds.S0022-0302(00)75094-6)
- Saldaña, J., & Omasta, M. (2016). *Qualitative research: Analyzing life*. Sage Publications.
- SocioCultural Research Consultants, LLC. (2025). Dedoose (Version 10.34) [Computer software]. <https://www.dedoose.com>
- Student. (1908). The Probable Error of a Mean. *Biometrika*, 6(1), 1–25. <https://doi.org/10.2307/2331554>
- Tisdell, E. J., Merriam, S. B., & Stuckey-Peyrot, H. L. (2025). *Qualitative Research: A Guide to Design and Implementation*. John Wiley & Sons.
- Tukey, J. W. (1949). Comparing individual means in the analysis of variance. *Biometrics*, 5(2), 99–114. <https://doi.org/10.2307/3001913>
- U.S. Geological Survey. (2024). National Hydrology Dataset (Version NHD High Resolution) [Dataset]. U.S. Geological Survey. <https://www.usgs.gov/national-hydrography>
- Valentine, K. A. (1947). Distance from water as a factor in grazing capacity of rangeland. *Journal of Forestry*, 45(10), 749-754. <https://doi.org/10.1093/jof/45.10.749>
- Vehtari, A., Gelman, A., Simpson, D., Carpenter, B., & Bürkner, P.C. (2021). Rank-Normalization, Folding, and Localization: An Improved \hat{R} for Assessing Convergence of MCMC (with Discussion). *Bayesian Analysis*, 16(2), 667–718. <https://doi.org/10.1214/20-BA1221>
- West, J. W. (2003). Effects of Heat-Stress on Production in Dairy Cattle. *Journal of Dairy Science*, 86(6), 2131–2144. [https://doi.org/10.3168/jds.S0022-0302\(03\)73803-X](https://doi.org/10.3168/jds.S0022-0302(03)73803-X)
- Wilcoxon, F. (1945). Individual Comparisons by Ranking Methods. *Biometrics Bulletin*, 1(6), 80–83. <https://doi.org/10.2307/3001968>
- Young, E. A., Abelson, J., & Lightman, S. L. (2004). Cortisol pulsatility and its role in stress regulation and health. *Frontiers in neuroendocrinology*, 25(2), 69-76. <https://doi.org/10.1016/j.yfrne.2004.07.001>