

Table 1. Results of One-Way ANOVA for soils treated with 0, 1, 10, 100, or 1000 ng kg<sup>-1</sup> narasin. The F-statistic was calculated for concentration of NH<sub>4</sub><sup>+</sup> in soil extracts measured from 6 replicates and grouped by antibiotic dose. Dose-response relationships are deemed statistically significant where  $F_{stat} > F_{crit}$ . P-values less than 0.05 are shown in bold.

		Day 1	Day 2	Day 3
40% WFPS	P value	<b>0.0004</b>	<b>4x10<sup>-6</sup></b>	<b>3x10<sup>-6</sup></b>
60% WFPS	P value	0.15	0.11	0.07
80% WFPS	P value	0.57	0.33	0.30

Table 2. Results of One-Way ANOVA for soils treated with 0, 1, 10, 100, or 1000 ng kg<sup>-1</sup> narasin. The F-statistic was calculated for concentration of NO<sub>3</sub><sup>-</sup> in soil extracts measured from 6 replicates and grouped by antibiotic dose. Dose-response relationships are deemed statistically significant where  $F_{stat} > F_{crit}$ . P-values less than 0.05 are shown in bold.

		Day 1	Day 2	Day 3
40% WFPS	P value	<b>9x10<sup>-5</sup></b>	<b>2x10<sup>-5</sup></b>	<b>3x10<sup>-5</sup></b>
60% WFPS	P value	<b>1x10<sup>-5</sup></b>	<b>5x10<sup>-4</sup></b>	<b>1x10<sup>-6</sup></b>
80% WFPS	P value	<b>3x10<sup>-5</sup></b>	<b>3x10<sup>-7</sup></b>	<b>3x10<sup>-7</sup></b>

Table 3. Results of One-Way ANOVA for soils treated with 0, 1, 10, 100, or 1000 ng kg<sup>-1</sup> narasin. The F-statistic was calculated for mineralization rate as determined from isotopic enrichments of 3 replicates. Dose-response relationships are deemed statistically significant where  $F_{stat} > F_{crit}$ . P-values less than 0.05 are shown in bold.

		Day 1	Day 2	Day 3
40% WFPS	P value	0.08	<b>0.03</b>	0.7
60% WFPS	P value	0.2	0.07	0.5

Table 4. Results of One-Way ANOVA for soils treated with 0, 1, 10, 100, or 1000 ng kg<sup>-1</sup> narasin. The F-statistic was calculated for nitrification rate as determined from isotopic enrichments of 3 replicates. Dose-response relationships are deemed statistically significant where  $F_{stat} > F_{crit}$ . P-values less than 0.05 are shown in bold.

		Day 1	Day 2	Day 3
40% WFPS	P value	<b>0.0003</b>	<b>4x10<sup>-6</sup></b>	<b>2x10<sup>-6</sup></b>
60% WFPS	P value	0.6	<b>0.03</b>	<b>0.0008</b>

Table 5. Results of One-Way ANOVA for soils treated with 0, 1, 10, 100, or 1000 ng kg<sup>-1</sup> narasin. The F-statistic was calculated for nitrification rate as determined from isotopic enrichments of 3 replicates. Dose-response relationships are deemed statistically significant where  $F_{stat} > F_{crit}$ . P-values less than 0.05 are shown in bold.

		Day 1	Day 2	Day 3
40% WFPS	P value	0.3	<b>2x10<sup>-6</sup></b>	0.1
60% WFPS	P value	0.2	<b>5x10<sup>-5</sup></b>	<b>8x10<sup>-5</sup></b>

Table 6. Results of One-Way ANOVA for soils treated with 0, 1, 10, 100, or 1000 ng kg<sup>-1</sup> narasin. The F-statistic was calculated for N<sub>2</sub>O flux measured from 6 replicates and grouped by antibiotic dose. Dose-response relationships are deemed statistically significant where  $F_{stat} > F_{crit}$ . P-values less than 0.05 are shown in bold.

		Day 1	Day 2	Day 3
40% WFPS	P value	0.09	0.2	<b>0.0003</b>
60% WFPS	P value	<b>0.005</b>	<b>0.003</b>	<b>0.001</b>
80% WFPS	P value	<b>0.03</b>	<b>0.0001</b>	<b>0.0007</b>