

Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.

Quiet Dell WV, Harrison County. 1080 ft. elevation, Latitude 39.226.

Quiet Dell	2015	March/April		May		June	
Scientific Name	Sample #-Date ► Common Name	HD 15 04 06	HD 15 04 26	HD 15 05 08	HD 15 05 28	HD 15 06 14	HD 15 06 29
Acer	Maple	100%	0%	0%	0%	0%	0%
Crocus	Crocus	0%	0%	0%	0%	0%	0%
Tussilago farfara	Coltsfoot	0%	0%	0%	0%	0%	0%
Ulmus rubra	Slippery Elm	0%	0%	0%	0%	0%	0%
Taraxacum officinale	Dandelion	0%	10%	0%	0%	0%	0%
Fraxinus	Ash	0%	2%	0%	0%	0%	0%
Glechoma hederaceae	Ground Ivy	0%	0%	0%	0%	0%	0%
Prunus	Peach / Plum / Cherry	0%	0%	0%	0%	0%	0%
Rosaceae / Cercis	Rosaceae / Redbud	0%	86%	16%	0%	0%	0%
Salix	Willow	0%	0%	41%	0%	0%	0%
Viburnum	Viburnum	0%	0%	0%	0%	0%	0%
Brassica	Cole Crops / Canola / Wintercress	0%	0%	0%	0%	0%	0%
Cornus	Dogwood species	0%	0%	2%	0%	0%	0%
Erigeron	Fleabane	0%	0%	0%	0%	0%	0%
Fagus	Beech	0%	0%	0%	0%	0%	0%
Lonicera	Honeysuckle	0%	0%	0%	0%	0%	0%
Mertensia	Bluebells	0%	0%	0%	0%	0%	0%
Platanus occidentalis	Sycamore	0%	0%	0%	0%	0%	0%
Ranunculus	Buttercup type	0%	0%	0%	0%	0%	0%
Stellaria	Chickweed	0%	0%	0%	0%	0%	0%
Aesculus	Buckeye, Horse Chestnut	0%	0%	3%	0%	0%	0%
Elaeagnus umbellata	Autumn Olive	0%	0%	0%	0%	0%	0%
Ilex	Holly	0%	0%	1%	1%	0%	0%
Juglans	Walnut	0%	0%	1%	1%	0%	0%
Magnolia	Magnolia	0%	0%	0%	0%	0%	0%
Nyssa sylvatica	Tupelo (Black Gum)	0%	0%	3%	0%	0%	0%
Quercus	Oak	0%	0%	8%	0%	0%	0%
Carya	Hickory	0%	0%	0%	0%	0%	0%

Celastrus / Cephalanthus	Bittersweet / Buttonbush	0%	0%	3%	1%	0%	0%
Liriodendron tulipifera	Tulip Poplar	0%	0%	0%	0%	0%	0%
Plantago	Plantain	0%	0%	1%	0%	0%	0%
Rubus / Rosa	Bramble Berries, Rose	0%	0%	0%	32%	0%	0%
Vitis (or Rhamnus)	Grape (or Alder Buckthorn)	0%	0%	1%	4%	1%	0%
Melilotus	Clover, Sweet	0%	0%	5%	11%	25%	16%
Toxicodendron radicans	Poison Ivy	0%	0%	15%	50%	0%	0%
Trifolium	Clover, Dutch / Trefoil	0%	0%	0%	0%	7%	7%
Sambucus	Elderberry	0%	0%	0%	2%	0%	2%
Diospyros virginiana	Persimmon	0%	0%	0%	1%	0%	0%
Apocynum cannabinum	Dogbane	0%	0%	0%	0%	1%	0%
Asteraceae 1	Aster family 1	0%	0%	0%	0%	1%	0%
Poaceae	Grass	0%	0%	0%	0%	1%	0%
Rhus typhina	Sumac, Staghorn	0%	0%	0%	0%	0%	0%
Castanea type	Chestnut / Chinkapin	0%	0%	0%	0%	45%	35%
Ligustrum	Privet	0%	3%	1%	0%	0%	0%
Parthenocussus	False Virginia Creeper	0%	0%	0%	0%	18%	36%
Pinus	Pine	0%	0%	0%	0%	0%	0%
Cirsium arvense	Canada Thistle	0%	0%	0%	0%	1%	0%
Rhododendron	Rhododendron / Azalea	0%	0%	0%	0%	0%	0%
Tilia	Basswood	0%	0%	0%	0%	1%	2%
Rhus glabra	Sumac, Smooth	0%	0%	0%	0%	0%	0%
	Unidentified	1%	1%	3%	0%	2%	3%
		100%	100%	100%	100%	100%	100%


[illegible]

Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.

South of Clarksburg WV, Harrison County. 1000 ft. elevation, about 39.226 latitude.

Clarksburg	2015	March/April			May		June	
Scientific Name	Sample #-Date ► Common Name	SH 15 03 31	SH 15 04 15	SH 15 04 29	SH 15 05 10	SH 15 05 26	SH 15 06 10	SH 15 06 29
Acer	Maple	100%	42%	0%	0%	0%	0%	0%
Crocus	Crocus	0%	0%	0%	0%	0%	0%	0%
Tussilago farfara	Coltsfoot	0%	0%	0%	0%	0%	0%	0%
Ulmus rubra	Slippery Elm	0%	0%	0%	0%	0%	0%	0%
Taraxacum officinale	Dandelion	0%	7%	7%	0%	0%	0%	0%
Fraxinus	Ash	0%	5%	10%	0%	0%	0%	0%
Glechoma hederaceae	Ground Ivy	0%	0%	0%	0%	0%	0%	0%
Prunus	Peach / Plum / Cherry	0%	7%	0%	0%	0%	0%	0%
Rosaceae / Cercis	Rosaceae / Redbud	0%	36%	25%	6%	8%	0%	0%
Salix	Willow	0%	0%	0%	26%	0%	0%	0%
Viburnum	Viburnum	0%	0%	0%	0%	0%	0%	0%
Brassica	Cole Crops / Canola / Wintercress	0%	0%	0%	0%	0%	0%	0%
Cornus	Dogwood species	0%	0%	0%	0%	0%	0%	0%
Erigeron	Fleabane	0%	0%	0%	7%	0%	0%	0%
Fagus	Beech	0%	0%	8%	0%	0%	0%	0%
Lonicera	Bush Honeysuckle	0%	0%	2%	2%	0%	0%	0%
Mertensia	Bluebells	0%	0%	3%	0%	0%	0%	0%
Platanus occidentalis	Sycamore	0%	0%	45%	2%	2%	0%	0%
Ranunculus	Buttercup type	0%	0%	0%	0%	0%	0%	0%
Stellaria	Chickweed	0%	0%	0%	0%	0%	0%	0%
Aesculus	Buckeye, Horse Chestnut	0%	0%	0%	1%	0%	0%	0%
Elaeagnus umbellata	Autumn Olive	0%	0%	0%	1%	0%	0%	0%
Ilex	Holly	0%	0%	0%	0%	0%	0%	0%
Junglans	Walnut	0%	0%	0%	0%	0%	0%	0%
Magnolia	Magnolia	0%	0%	0%	0%	0%	0%	0%
Nyssa sylvatica	Tupelo (Black Gum)	0%	0%	0%	9%	0%	0%	0%
Quercus	Oak	0%	0%	0%	27%	0%	0%	0%
Carya	Hickory	0%	0%	0%	1%	0%	0%	0%


Clarksburg March-June 2015 Percentages



Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.

East side of Ripley WV, Jackson County. 750 ft. elevation, about 38.820 latitude.

Jackson County	2015	March/April			May		June	
Scientific Name	Sample #-Date ► Common Name	MB 15 04 01	MB 15 04 12	MB 15 04 28	MB 15 05 14	MB 15 05 30	MB 15 06 14	MB 15 06 28
Acer	Maple	99%	62%	0%	0%	0%	0%	96%
Crocus	Crocus	0%	0%	0%	0%	0%	0%	0%
Tussilago farfara	Coltsfoot	0%	0%	0%	0%	0%	0%	0%
Ulmus rubra	Slippery Elm	0%	0%	0%	0%	0%	0%	0%
Taraxacum officinale	Dandelion	2%	7%	5%	0%	0%	0%	1%
Fraxinus	Ash	0%	3%	0%	0%	0%	0%	0%
Glechoma hederaceae	Ground Ivy	0%	0%	0%	0%	0%	0%	0%
Prunus	Peach / Plum / Cherry	0%	13%	0%	0%	0%	0%	0%
Rosaceae / Cercis	Rosaceae / Redbud	0%	13%	12%	10%	26%	0%	2%
Salix	Willow	0%	0%	0%	0%	0%	0%	0%
Viburnum	Viburnum	0%	0%	47%	0%	14%	0%	0%
Brassica	Cole Crops / Canola / Wintercress	0%	0%	1%	0%	0%	0%	0%
Cornus	Dogwood species	0%	0%	20%	0%	0%	0%	1%
Erigeron	Fleabane	0%	0%	0%	0%	0%	0%	0%
Fagus	Beech	0%	0%	0%	0%	0%	0%	0%
Lonicera	Honeysuckle	0%	0%	2%	1%	1%	0%	0%
Mertensia	Bluebells	0%	0%	0%	0%	0%	0%	0%
Platanus occinentalis	Sycamore	0%	0%	10%	0%	0%	0%	0%
Ranunculus	Buttercup type	0%	0%	0%	0%	0%	0%	0%
Stellaria	Chickweed	0%	0%	2%	0%	0%	0%	0%
Aesculus	Buckeye, Horse Chestnut	0%	0%	0%	0%	0%	0%	0%
Elaeagnus umbellata	Autumn Olive	0%	0%	2%	0%	0%	0%	1%
Ilex	Holly	0%	0%	0%	2%	0%	0%	0%
Juglans	Walnut	0%	0%	0%	0%	0%	0%	0%
Magnolia	Magnolia	0%	0%	0%	0%	2%	1%	0%
Nyssa sylvatica	Tupelo (Black Gum)	0%	0%	0%	0%	0%	0%	0%
Quercus	Oak	0%	0%	0%	0%	0%	0%	0%
Carya	Hickory	0%	0%	0%	0%	0%	0%	0%



Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.

Near Cool Ridge WV, Raleigh County. 3000 ft. elevation, about 37.636 latitude.

Raleigh County	2015	March/April			May		June	
Scientific Name	Sample #-Date ► Common Name	ML 15 03 31	ML 15 04 17	ML 15 04 28	ML 15 05 11	ML 15 05 25	ML 15 06 07	ML 15 06 20
Acer	Maple	22%	7%	7%	9%	7%	0%	0%
Crocus	Crocus	0%	0%	0%	0%	0%	0%	0%
Tussilago farfara	Coltsfoot	34%	5%	6%	0%	0%	0%	0%
Ulmus rubra	Slippery Elm	0%	0%	0%	0%	0%	0%	0%
Taraxacum officinale	Dandelion	0%	3%	4%	0%	2%	2%	3%
Fraxinus	Ash	0%	35%	28%	35%	9%	0%	0%
Glechoma hederaceae	Ground Ivy	0%	0%	0%	1%	0%	0%	0%
Prunus	Peach / Plum / Cherry	0%	1%	0%	0%	0%	0%	0%
Rosaceae / Cercis	Rosaceae / Redbud	6%	46%	37%	43%	24%	1%	0%
Salix	Willow	16%	0%	3%	1%	0%	0%	0%
Viburnum	Viburnum	0%	1%	0%	0%	0%	0%	0%
Brassica	Cole Crops / Canola / Wintercress	0%	0%	0%	0%	0%	0%	0%
Cornus	Dogwood species	0%	0%	0%	0%	0%	0%	0%
Erigeron	Fleabane	0%	0%	0%	0%	0%	0%	0%
Fagus	Beech	0%	0%	10%	5%	5%	0%	0%
Lonicera	Honeysuckle	0%	0%	0%	0%	0%	0%	0%
Mertensia	Bluebells	0%	0%	0%	0%	0%	0%	0%
Platanus occidentalis	Sycamore	0%	0%	0%	0%	0%	0%	0%
Ranunculus	Buttercup type	0%	0%	0%	0%	0%	0%	0%
Stellaria	Chickweed	0%	0%	0%	0%	0%	0%	0%
Aesculus	Buckeye, Horse Chestnut	0%	0%	0%	0%	0%	0%	0%
Elaeagnus umbellata	Autumn Olive	0%	0%	0%	0%	1%	0%	0%
Ilex	Holly	0%	0%	0%	0%	0%	0%	0%
Juglans	Walnut	0%	0%	0%	0%	0%	0%	0%
Magnolia	Magnolia	0%	0%	0%	3%	0%	0%	0%
Nyssa sylvatica	Tupelo (Black Gum)	0%	0%	0%	0%	0%	0%	0%
Quercus	Oak	0%	0%	0%	1%	3%	0%	0%
Carya	Hickory	0%	0%	0%	0%	0%	0%	0%

Stacked bar chart showing the percentage of plant species in eight different plant communities. The x-axis represents the percentage from 0% to 100%. The y-axis lists the plant communities: ML 15 03 31, ML 15 04 17, ML 15 04 28, ML 15 05 11, ML 15 05 25, ML 15 06 07, and ML 15 06 20. A legend on the right lists 50 plant species and their families, each associated with a unique color. The bars are composed of segments of these colors, representing the relative abundance of each species within the community.


Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.

South of Salem WV, Harrison County. 1200 ft. elevation, about 39.263 latitude.

Salem	2013	March/April		May		June	
Scientific Name	Sample #-Date ► Common Name	HG 13 04 18	HG 13 04 26	HG 13 05 10	HG 13 05 30	HG 13 06 12	HG 13 06 20
Acer	Maple	16%	13%	0%	0%	0%	0%
Crocus	Crocus	0%	0%	0%	0%	0%	0%
Tussilago farfara	Coltsfoot	0%	0%	0%	0%	0%	0%
Ulmus rubra	Slippery Elm	0%	0%	0%	0%	0%	0%
Taraxacum officinale	Dandelion	3%	30%	0%	0%	0%	0%
Fraxinus	Ash	26%	0%	0%	0%	0%	0%
Glechoma hederaceae	Ground Ivy	0%	0%	0%	0%	0%	0%
Prunus	Peach / Plum / Cherry	43%	0%	0%	0%	0%	0%
Rosaceae / Cercis	Rosaceae / Redbud	12%	54%	17%	3%	0%	0%
Salix	Willow	0%	0%	12%	0%	0%	0%
Viburnum	Viburnum	0%	0%	0%	0%	0%	0%
Brassica	Cole Crops / Canola / Wintercress	0%	0%	0%	0%	0%	0%
Cornus	Dogwood species	0%	1%	2%	0%	0%	0%
Erigeron	Fleabane	0%	0%	0%	0%	0%	0%
Fagus	Beech	0%	2%	0%	0%	0%	0%
Lonicera	Honeysuckle	0%	0%	0%	1%	0%	0%
Mertensia	Bluebells	0%	0%	0%	0%	0%	0%
Platanus occidentalis	Sycamore	0%	0%	0%	0%	0%	0%
Ranunculus	Buttercup type	0%	0%	0%	0%	0%	7%
Stellaria	Chickweed	0%	0%	0%	0%	0%	0%
Aesculus	Buckeye, Horse Chestnut	0%	0%	0%	0%	0%	0%
Elaeagnus umbellata	Autumn Olive	0%	0%	0%	0%	0%	0%
Ilex	Holly	0%	0%	0%	3%	0%	0%
Juglans	Walnut	0%	0%	2%	0%	0%	0%
Magnolia	Magnolia	0%	0%	0%	0%	0%	0%
Nyssa sylvatica	Tupelo (Black Gum)	0%	0%	46%	0%	0%	0%
Quercus	Oak	0%	0%	2%	0%	0%	0%
Carya	Hickory	0%	0%	9%	0%	0%	0%

Celastrus / Cephalanthus	Bittersweet / Buttonbush	0%	0%	10%	0%	0%	1%
Liriodendron tulipifera	Tulip Poplar	0%	0%	0%	1%	1%	0%
Plantago	Plantain	0%	0%	0%	0%	3%	3%
Rubus / Rosa	Bramble Berries, Rose	0%	0%	0%	41%	0%	0%
Vitis (or Rhamnus)	Grape (or Alder Buckthorn)	0%	0%	0%	1%	0%	0%
Melilotus	Clover, Sweet	0%	0%	0%	40%	83%	31%
Toxicodendron radicans	Poison Ivy	0%	0%	0%	10%	1%	0%
Trifolium	Clover, Dutch / Trefoil	0%	0%	0%	0%	0%	0%
Sambucus	Elderberry	0%	0%	0%	0%	11%	36%
Diospyros virginiana	Persimmon	0%	0%	0%	0%	0%	0%
Apocynum cannabinum	Dogbane	0%	0%	0%	0%	0%	0%
Asteraceae 1	Aster family 1	0%	0%	0%	0%	0%	1%
Poaceae	Grass	0%	0%	0%	0%	1%	0%
Rhus typhina	Sumac, Staghorn	0%	0%	0%	0%	2%	0%
Castanea type	Chestnut / Chinkapin	0%	0%	0%	0%	0%	12%
Ligustrum	Privet	0%	0%	0%	0%	0%	6%
Parthenocussus	Virginia Creeper type	0%	0%	0%	0%	0%	0%
Pinus	Pine	0%	0%	0%	0%	0%	0%
Cirsium arvense	Canada Thistle	0%	0%	0%	0%	0%	0%
Rhododendron	Rhododendron / Azalea	0%	0%	0%	0%	0%	0%
Tilia	Basswood	0%	0%	0%	0%	0%	3%
Rhus glabra	Sumac, Smooth	0%	0%	0%	0%	0%	0%
	Unidentified	1%	1%	2%	2%	0%	2%
		100%	100%	100%	100%	100%	100%

Salem March-June 2013 Percentages



Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.

South of Salem WV, Harrison County. 1200 ft. elevation, about 39.263 latitude.

Salem	2014	March/April		May			June	
Scientific Name	Sample #-Date ► Common Name	HG 14 04 01	HG 14 04 18	HG 14 05 06	HG 14 05 13	HG 14 05 26	HG 14 06 10	HG 14 06 23
Acer	Maple	100%	14%	0%	0%	0%	0%	0%
Crocus	Crocus	0%	0%	0%	0%	0%	0%	0%
Tussilago farfara	Coltsfoot	0%	0%	0%	0%	0%	0%	0%
Ulmus rubra	Slippery Elm	0%	0%	0%	0%	0%	0%	0%
Taraxacum officinale	Dandelion	0%	23%	2%	0%	0%	0%	1%
Fraxinus	Ash	0%	0%	0%	0%	0%	0%	0%
Glechoma hederaceae	Ground Ivy	0%	0%	1%	0%	0%	0%	0%
Prunus	Peach / Plum / Cherry	0%	0%	0%	0%	0%	0%	0%
Rosaceae / Cercis	Rosaceae / Redbud	0%	34%	0%	2%	8%	0%	0%
Salix	Willow	0%	30%	3%	43%	0%	0%	0%
Viburnum	Viburnum	0%	0%	28%	0%	0%	0%	0%
Brassica	Cole Crops / Canola / Wintercress	0%	0%	0%	0%	0%	0%	0%
Cornus	Dogwood species	0%	0%	40%	0%	0%	0%	0%
Erigeron	Fleabane	0%	0%	1%	0%	0%	0%	0%
Fagus	Beech	0%	0%	0%	0%	0%	0%	0%
Lonicera	Honeysuckle	0%	0%	21%	1%	0%	2%	0%
Mertensia	Bluebells	0%	0%	0%	0%	0%	0%	0%
Platanus occidentalis	Sycamore	0%	0%	5%	0%	0%	0%	0%
Ranunculus	Buttercup type	0%	0%	0%	0%	0%	0%	0%
Stellaria	Chickweed	0%	0%	0%	0%	0%	0%	0%
Aesculus	Buckeye, Horse Chestnut	0%	0%	0%	0%	0%	0%	0%
Elaeagnus umbellata	Autumn Olive	0%	0%	1%	2%	0%	0%	0%
Ilex	Holly	0%	0%	0%	0%	0%	0%	0%
Juglans	Walnut	0%	0%	0%	0%	0%	0%	0%
Magnolia	Magnolia	0%	0%	0%	0%	0%	0%	0%
Nyssa sylvatica	Tupelo (Black Gum)	0%	0%	0%	42%	0%	0%	0%
Quercus	Oak	0%	0%	1%	10%	0%	0%	0%
Carya	Hickory	0%	0%	0%	0%	0%	0%	0%

Stacked bar chart showing the percentage of plant species identified in eight different habitats (HG 14 04 01 to HG 14 06 23). The x-axis represents the percentage from 0% to 100%. The y-axis lists the habitats. The legend on the right lists 50 plant species and their common names, each associated with a unique color. The bars show the relative abundance of these species in each habitat. For example, in HG 14 04 01, the dominant species is Maple (blue). In HG 14 06 10, the dominant species is Dogbane (orange).

Habitat	Species (Common Name)	Percentage
HG 14 04 01	Maple	100%
HG 14 04 18	Maple	15%
	Dandelion	20%
	Rosaceae / Redbud	25%
	Willow	20%
HG 14 05 06	Maple	1%
	Ground Ivy	1%
	Peach / Plum / Cherry	1%
	Fleabane	25%
	Dogwood species	35%
	Blueberry	1%
	Buttercup type	1%
	Unidentified	1%
HG 14 05 13	Maple	1%
	Buttercup type	45%
	Autumn Olive	1%
	Holly	1%
	Magnolia	45%
	Oak	10%
	Hickory	1%
	Bittersweet / Buttonbush	1%
	Plantain	1%
	Unidentified	1%
HG 14 05 26	Rosaceae / Redbud	10%
	Dogwood species	2%
	Maple	35%
	Dogbane	25%
	Slippery Elm	10%
HG 14 06 10	Maple	1%
	Dogbane	85%
HG 14 06 23	Maple	1%
	Dogbane	85%

Percentages of each pollen type by date, March through June, rounded to nearest 1%. Plant list organized by approximate bloom time.

South of Salem WV, Harrison County. 1200 ft. elevation, about 39.263 latitude.

Salem	2015	March/April			May		June		
Scientific Name	Sample #-Date ► Common Name	HG 15 03 25	HG 15 04 05	HG 15 04 24	HG 15 05 07	HG 15 05 23	HG 15 06 05	HG 15 06 14	HG 15 06 29
Acer	Maple	99%	100%	0%	0%	0%	0%	0%	0%
Crocus	Crocus	0%	0%	0%	0%	0%	0%	0%	0%
Tussilago farfara	Coltsfoot	0%	0%	0%	0%	0%	0%	0%	0%
Ulmus rubra	Slippery Elm	0%	1%	0%	0%	0%	0%	0%	0%
Taraxacum officinale	Dandelion	0%	0%	86%	0%	0%	0%	0%	0%
Fraxinus	Ash	0%	0%	2%	0%	0%	0%	0%	0%
Glechoma hederaceae	Ground Ivy	0%	0%	0%	0%	0%	0%	0%	0%
Prunus	Peach / Plum / Cherry	0%	0%	0%	0%	0%	0%	0%	0%
Rosaceae / Cercis	Rosaceae / Redbud	0%	0%	11%	24%	9%	0%	3%	0%
Salix	Willow	0%	0%	1%	34%	0%	0%	0%	0%
Viburnum	Viburnum	0%	0%	0%	0%	0%	0%	0%	0%
Brassica	Cole Crops / Canola / Wintercress	0%	0%	0%	0%	0%	0%	0%	0%
Cornus	Dogwood species	0%	0%	0%	13%	0%	0%	0%	0%
Erigeron	Fleabane	0%	0%	1%	0%	0%	0%	0%	0%
Fagus	Beech	0%	0%	0%	2%	0%	0%	0%	0%
Lonicera	Honeysuckle	0%	0%	0%	1%	0%	0%	0%	0%
Mertensia	Bluebells	0%	0%	0%	0%	0%	0%	0%	0%
Platanus occidentalis	Sycamore	0%	0%	0%	1%	0%	0%	0%	0%
Ranunculus	Buttercup type	0%	0%	0%	0%	0%	0%	0%	0%
Stellaria	Chickweed	0%	0%	0%	0%	0%	0%	0%	0%
Aesculus	Buckeye, Horse Chestnut	0%	0%	0%	0%	0%	0%	0%	0%
Elaeagnus umbellata	Autumn Olive	0%	0%	0%	0%	0%	0%	0%	0%
Ilex	Holly	0%	0%	0%	0%	0%	0%	0%	0%
Juglans	Walnut	0%	0%	0%	0%	0%	0%	0%	0%
Magnolia	Magnolia	0%	0%	0%	0%	0%	0%	0%	0%
Nyssa sylvatica	Tupelo (Black Gum)	0%	0%	0%	7%	0%	0%	0%	0%
Quercus	Oak	0%	0%	0%	20%	0%	0%	0%	0%
Carya	Hickory	0%	0%	0%	0%	1%	0%	0%	0%

[illegible]

Horizontal stacked bar chart showing the percentage of plant species identified in eight different habitats (HG 15 03 25 to HG 15 06 29). The x-axis represents the percentage from 0% to 100%. The y-axis lists the habitats. The legend on the right lists 50 plant species and categories, each with a corresponding color. The bars show varying compositions: HG 15 03 25 is mostly Maple; HG 15 04 05 is mostly Maple; HG 15 04 24 is mostly Dandelion; HG 15 05 07 is a mix of Redbud, Willow, Dogwood, and others; HG 15 05 23 is a mix of Redbud, Maple, Dogwood, and others; HG 15 06 05 is mostly Dogwood; HG 15 06 14 is mostly Dogwood; HG 15 06 29 is mostly Dogwood.

This material is based upon work supported by Sustainable Agriculture Research and Education in the National Institute of Food and Agriculture, U.S. Department of Agriculture, under Award No. 2014-38640-22161. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author and do not necessarily reflect the view of the U.S. Department of Agriculture.