POLLINATOR PLANTS

Northeast Region







Wrinkleleaf goldenrod, spiderwort, and cardinal flower.

The Northeast Region encompasses southern Quebec, New Brunswick, Nova Scotia, the New England states, and eastern New York. High regional variation in topography, soils, and climate translates to tremendous ecological diversity, ranging from the coastal dunes and tidal ecosystems along the Atlantic shoreline, to the spectacularly species-rich deciduous forests and riparian communities of the Appalachian Highlands.

Corresponding to this striking diversity of plant communities is an equally remarkable range of pollinators, including twenty bumble bee species and thousands of other species of native bees, butterflies, hover flies, flower-visiting beetles, wasps, and moths. As a group, these and other pollinators maintain healthy, productive plant communities, provide food that sustains wildlife, and play an essential role in crop production. In the Northeast, several important pollinators, including the yellow-banded and rusty-patched bumble bees, are threatened by habitat loss, including dramatic declines in native plant communities needed to support these animals.

Providing wildflower-rich habitat is the most significant action you can take to support pollinators. Adult bees, butterflies, and other pollinators require nectar as their primary food source. Female bees also collect pollen as food for their offspring. Native plants, which are adapted to local soils and climates, are usually the best sources of nectar and pollen for native pollinators. In addition, native plants often require less water than non-natives, do not need fertilizers, and are less likely to become weedy.

This guide features regional native plants that are highly attractive to pollinators and are well-suited for small-scale plantings in gardens, on business and school campuses, in urban greenspaces, and in farm field borders. In addition to supporting native bees and honey bees, many of these plants attract nectar-seeking butterflies, moths, and hummingbirds, and some are host plants for butterfly and moth caterpillars. With few exceptions, these species occur broadly across the region and can be purchased as seed or transplants. Please consult regional floras or the Biota of North America Program's webbased North American Plant Atlas for details on species' distributions in your specific area.



Our Bring Back the Pollinators campaign is based on four principles: grow pollinator-friendly flowers, protect bee nests and butterfly host plants,

avoid pesticides, and spread the word. You can participate by taking the Pollinator Protection Pledge and registering your habitat on our nationwide map of pollinator corridors.

www.bringbackthepollinators.org

| Bloom Period | Common Name | Scientific Name | Flower Color | Max. Height (feet) | Water Needs | Notes |
|---|-----------------------|------------------------------|--------------|--------------------------|-----------------------------|--|
| | Forbs | | | | L: low; M: med.; H: high | All species are perennials, unless otherwise noted |
| Early 2 | Golden Alexanders | Zizia aurea | yellow | 3 | Н | Host plant for black swallowtail butterfly; shallow nectaries attract small beneficial wasps, bees, and flies |
| | Wild geranium | Geranium maculatum | pink | 3 | M | Shade-tolerant; provides important spring food for mining, cuckoo, mason, sweat, bumble, and small carpenter bees |
| Early – Mid 3 | Spiderwort | Tradescantia virginiana | blue | 3 | M | The attractive flowers of this unique iris-relative are frequented by bumble bees and other pollinators; shade tolerant |
| 4 Mid 5 6 | Mountain mint | Pycnanthemum tenuifolium | white | 3 | L – M | This and related species have fragrant foliage and nectar-rich flowers; very popular with butterflies, beetles, and more |
| | Swamp milkweed | Asclepias incarnata | pink | 5 | Н | Host plant for monarchs; lovely fragrance attracts insects of all kinds; at drier sites use common or butterfly milkweed |
| | Wild bergamot | Monarda fistulosa | purple | 4 | M | Hawk moths, hummingbirds, and long-tongued bumble bees (such as Bombus pensylvanicus) are common visitors |
| 7 Mid – Late 9 10 | Blue vervain | Verbena hastata | blue | 6 | Н | A preferred nectar plant for bees, butterflies, hover flies, and bee flies; choose Verbena stricta for drier soils |
| | Boneset | Eupatorium perfoliatum | white | 6 | Н | Flat-topped clusters of fluffy, nectar-rich flowers attract many kinds of insects; tolerant of partial shade and wet soils |
| | Cardinal flower | Lobelia cardinalis | red | 4 | Н | Striking, scarlet-red tubular flowers attract hummingbirds and swallowtail butterflies |
| | Cutleaf coneflower | Rudbeckia laciniata | yellow | 7 | M | Long bloom period; shade-tolerant; visited by bumble bees and other pollinators; seeds provide food for birds |
| 11 12 13 Late 14 15 | Bottle gentian | Gentiana clausa | blue | 2 | M | This unique fall flower is almost exclusively pollinated by bumble bees, which pry the petals apart to climb inside |
| | Calico aster | Symphyotrichum lateriflorum | white | 2 | M | The shallow nectaries attract more insect diversity than some larger-flowered aster species; tolerant of partial shade |
| | Field thistle | Cirsium discolor | purple | 6 | M | A now uncommon but important plant for butterflies and bumble bees; not to be confused with non-native thistles |
| | Gray goldenrod | Solidago nemoralis | yellow | 2 | L | Excellent for poor soils where little else will grow; one of the latest blooming goldenrods; visited by many pollinators |
| | New England aster | Symphyotrichum novae-angliae | purple | 6 | M | One of the latest fall blooming plants; frequented by honey bees and pre-hibernation bumble bee queens |
| | Wrinkleleaf goldenrod | Solidago rugosa | yellow | 3 | M – H | Goldenrods are frequented by beneficial solitary wasps, pollen-eating soldier beetles, bumble bees, and much more |
| | Shrubs | | | | | |
| 17 18 Early 19 20 | Highbush blueberry | Vaccinium corymbosum | white/pink | 12 | M – H | Well-loved by humans and also provides food for mining bees, mason bees, and long-tongued bumble bees |
| | Ninebark | Physocarpus opulifolius | white | 8 | L | Deciduous shrub with attractive foliage, peeling bark, and white flowers; loved by birds, bees, and butterflies |
| | Pussy willow | Salix discolor | yellow/green | 15 | M – H | Silky gray catkins open into flowers that provide spring forage for bees; host plant for mourning cloak butterflies |
| | Raspberry, blackberry | Rubus spp. | white | 4+ | M | Hollow canes/prunings make excellent nest sites for cavity-nesting bees; flowers are pollinated by many kinds of bees |
| Early – Mid 21 | American basswood | Tilia americana | cream | 60 | M | Also called "bee tree" for its abundance of very fragrant, nectar-rich flowers which are extremely attractive to bees |
| 22 Mid 23 | New Jersey tea | Ceanothus americanus | white | 4 | M | A magnet for many species of flies, wasps, bees, and butterflies; slow growing and prone to deer browsing |
| | Virginia rose | Rosa virginiana | pink | 6 | L | Foliage is used by leaf-cutter bees; flowers provide food for many pollinators; exceptional leaf coloration in the fall |
| Late ²⁴ | Buttonbush | Cephalanthus occidentalis | white | 12 | Н | Host plant for numerous moths and butterflies; pincushion-like flowers are very attractive to butterflies and bees |
| | | 15 | | 17 | 18 | 19 20 21 22 22 23 |

Planting for Success

Sun Exposure

Most pollinator-friendly plants prefer sites that receive full sun throughout most of the day and are mostly open, with few large trees. A southern exposure can provide the warmest habitat, but is not required.

Plant Diversity

Choosing a variety of plants with overlapping and sequential bloom periods will provide food for pollinators throughout the seasons.

Habitat Size and Shape

Habitat patches that are bigger and closer to other patches are generally better than those that are smaller and more isolated from one another. However, even a small container garden can attract and support pollinators!

Planting Layout

Flowers clustered into clumps of one species will attract more pollinators than individual plants scattered through a habitat patch. Where space allows, plant clumps of the same species within a few feet of one another.

Seeds or Transplants

It is usually cheaper to establish large habitat areas from seed; however, seeding native wildflowers on a large-scale is an art unto itself. For step-by-step instructions, see the Pollinator Habitat Installation Guides (listed in the Additional Resources section). For smaller areas like gardens, transplants are usually easier to use, and plants will bloom faster than when started from seed.

Protect Pollinators from Insecticides

Although dependent on timing, rate, and method of application, all insecticides have the potential to poison or kill pollinators. Systemic insecticides in particular have received significant attention for their potential role in pollinator declines (imidacloprid, dinotefuran, clothianidin, and thiamethoxam are examples of systemic insecticides now found in various farm and garden products). Because plants absorb systemic insecticides as they grow, the chemicals become distributed throughout plant tissues and are sometimes present in pollen and nectar. You can help protect pollinators by avoiding the use of these and other insecticides. Before purchasing plants from nurseries and garden centers, be sure to ask whether they have been treated with insecticides. To read more about threats to pollinators from pesticides, please visit: www.xerces.org/pesticides.

Additional Resources



Attracting Native Pollinators: Protecting North America's Bees and Butterflies

Our best-selling book highlights the role of native pollinators in natural ecosystems, gardens, and farms. Introductory sections explore the natural history and habitat needs of bees, butterflies, pollinating beetles, and much more. Advanced

sections provide guidance on conserving pollinators in multiple landscapes. The book also includes a first-of-its-kind guide to all common native bee genera of North America. Available in bookstores everywhere, and through www.xerces.org/books.

Xerces' Pollinator Conservation Resource Center

Our Pollinator Conservation Resource Center is an online database of additional pollinator plant recommendations, guidelines on establishing and protecting pollinator habitat, and a directory of native plant nurseries for every region of the United States and Canada. www.xerces.org/pollinator-resource-center/

Ladybird Johnson Wildflower Center

The Ladybird Johnson Wildflower Center has developed a collection of pollinator-friendly native plants as part of their extensive native plant database. Along with this special pollinator plant collection, the Center's website features image galleries, how-to articles on native plant gardening, and more. www.wildflower.org/collections

Pollinator Habitat Installation Guides

These how-to guides, developed in collaboration with the USDA Natural Resources Conservation Service, provide in-depth, step-by-step instructions for developing a large-scale wildflower meadow for bees and a list of regional native seed vendors and native plant nurseries. www.xerces.org/pollinator-conservation/agriculture/pollinator-habitat-installation-guides

Acknowledgements

Support, background information, and other contributions to this publication were generously provided by Ernst Conservation Seeds, The Ceres Foundation, CS Fund, Disney Worldwide Conservation Fund, Sarah K. de Coizart Article TENTH Perpetual Charitable Trust, Turner Foundation, Inc., Northeast Sustainable Agriculture Research and Education, and the USDA's Natural Resources Conservation Service.

The Xerces Society is an equal opportunity employer and provider. © 2014 by The Xerces Society for Invertebrate Conservation. Written by Nancy Lee Adamson, Brianna Borders, Jessa Cruz, Sarah Foltz-Jordan, Kelly Gill, Jennifer Hopwood, Eric Lee-Mäder, Ashley Minnerath, and Mace Vaughan. Designed by Kaitlyn Rich. Formatted by Sara Morris. PHOTO CREDITS: H. Zell*: 1, 7, 9 (inside). Mary Ann Borge, the-natural-web.org: 2, 3 (inside and cover), 4, 8, 9 (cover), 10, 18, 24. Adam Varenhorst, Michigan State University: 5, 15. Scott Seigfreid: 6, 22. Robert H. Mohlenbrock @ USDA-NRCS PLANTS Database: 11. Elise Smith, U.S. FWS: 12. Sarah Foltz Jordan, Xerces Society: 13. R.W. Smith, Lady Bird Johnson Wildflower Center: 14, 19, 21. Nancy Lee Adamson, Xerces Society: 16 (inside & cover). Rob Hille: 17. Jane S. Richardson*: 20. Anonymous*: 23. Desmodium*: 24. *Courtesy of Wikimedia Commons. Photographs remain under the copyright of the photographer.