

## 2010 MAXIMUM AND MINIMUM TEMPERATURES AND PRECIPITATION

Hudson Valley Laboratory, Highland, NY

All readings were taken at 0800 EST on the dates indicated

Date	MARCH			APRIL			MAY			JUNE			JULY			AUGUST			SEPTEMBER		
	Max	Min	Precip	Max	Min	Precip	Max	Min	Precip	Max	Min	Precip	Max	Min	Precip	Max	Min	Precip	Max	Min	Precip
1	45.0	32.0	0.62	73	46		89	50		82	61	0.34	76.4	50		84	55		92	66	
2	47.0	34.0		74	47		90	63		86	56		80.5	50		85	65	0.1	93	67	
3	39.0	32.0	0.11	73	46		78	56	0.13	86	66		87.5	52	dew	84	68		83	70	
4	42.0	33.0		74	46		78	50	0.15	86	62		95	71	dew	93	73		78	58	
5	42.0	31.0		76	52		80	46		88	67		96	59		89	72	0.57	74	50	
6	51.0	25.0		76	47	0.07	76	54	dew	78	58	0.87	100	71		85	60		78	47	
7	57.0	30.0		89	50	0.02	73	43		74	49		99	71		83	55		86	61	
8	56.0	34.0		84	57		73	47		69	52		89	73	dew	90	57		83	62	
9	56.0	37.0		64	41	0.46	49	40	0.45	60	45		90	70	dew	94	71		71	59	
10	56.0	31.0		61	39		59	33		75	56	0.47	79	69	0.25	88	71	0.18	66	52	
11	54.0	41.0		71	42		56	33		75	50	0.04	89	66	dew	89	68		76	46	
12	50.0	37.0	0.12				47	40		77	57		92	63	dew	78	67		63	56	
13	42.0	35.0	0.34	60	42		66	39	0.63	68	64	0.67	87	69	0.03	81	63	0.04	74	55	0.08
14	49.0	40.0	0.15	67	34	dew	80	52	0.19	74	63		81	71	0.11	82	57		75	50	0.13
15	44.0	40.0	0.26	70	35	0.01	72	50	dew	60	57		89	71		75	64		70	47	
16	59.0	40.0		58	43		71	44	dew	71	54	0.01	95	70		80	67	0.27	69	42	
17	64.0	33.0		49	42	0.17	75	42		91	59		94	68	dew	86	65		66	51	0.17
18	68.0	40.0		55	40	0.04	58	50		84	53		93	65		84	63		71	50	
19	70.0	39.0		60	39	.01	62	50	0.74	85	58		92	60		89	59		78	54	
20	72.0	43.0		68	35	dew	82	50		91	68		87	69	0.44	84	61		69	50	
21	68.0	42.0		70	37		85	52		86	64		91	68		79	54		73	40	
22	53.0	44.0	0.76	71	43	dew	74	55		79	61		87	62	0.39	74	68	3.64	85	55	
23	46.0	43.0	2.56	67	33	dew	75	60		88	66	0.47	73	65		68	61	0.40	78	57	
24	58.0	40.0	0.01	68	32		79	56		89	69	0.19	95	71	0.21	69	61		83	61	
25	64.0	36.0		55	48	0.31	87	60		84	63		86	66	0.19	72	62	0.34	86	61	
26	43.0	28.0	0.32	54	49	0.69	94	61		82	60		86	60		79	58	0.26	69	51	
27	44.0	21.0		55	34		79	62		87	64		89	58		77	51		64	58	0.51
28	44.0	29.0	0.17	53	31		75	57		88	72	dew	89	62		79	50		74	64	0.18
29	52.0	43.0	1.13	66	35		78	59		85	63	dew	89	67	0.08	89	56		76	56	
30	46.0	37.0	0.65	79	43		84	59		77	52		83	57		89	58		75	62	1.22
31	52.0	44.0	0.15				86	58					81	54		93	65				
Avg/ total	52.7	35.9	7.4	65.8	40.9	1.8	74.5	50.7	2.3	80.2	59.6	3.1	88.4	64.5	1.7	82.9	62.1	5.8	75.9	55.3	2.3