

Table 3 Arbuscular mycorrhizal fungal species identified from trap cultures sampled from baseline soils in spring 2007 and from COM and NAT and mycorrhizal treatments in June 2009. *Glomus intraradices* was the only species present in the COM inoculum.

AM Species	Baseline	COM Treatment	NAT Treatment
<i>Acaulospora koskei</i>	X		X
<i>A. laevis</i>	X	X	X
<i>A. mellea</i>	X	X	
<i>A. morrowiae</i>	X	X	X
<i>A. rehmiti</i>		X	
<i>A. scrobiculata</i>	X	X	X
<i>A. spinosa</i>	X		
<i>A. species 1</i>			X
<i>Entrophospora species 1</i>			X
<i>Gigaspora margarita</i>		X	X
<i>Gi. rosea</i>			X
<i>Glomus clarum</i>	X	X	X
<i>Gl. etunicatum</i>	X	X	X
<i>Gl. intraradices</i>	X		X
<i>Gl. mosseae</i>	X	X	X
<i>Gl tenue</i>	X		
<i>Gl. species 1</i>	X		X
<i>Gl. species 2</i>	X	X	
<i>Paraglomus occultum</i>	X		X
<i>Scutellospora heterogama</i>	X	X	X
<i>Sc. nigra</i>		X	X
<i>Sc. pellucida</i>	X	X	X
<i>Sc. persica</i>		X	X
	Total AM Species		
23	16	14	18