

	Forb species		
	n	\bar{C}	FQI
Herbicide-grazing intensity	\bar{x} (SE)	\bar{x} (SE)	\bar{x} (SE ¹)
Frequent-heavy	40.1 (8.26) d	4.01 (0.14) c	25.4 (2.77) d ²
Frequent-moderate	66.3 (9.54) c	4.46 (0.16) b	36.3 (3.20) c
Infrequent-heavy	75.3 (13.49) bc	5.03 (0.22) a	43.6 (4.52) b
Infrequent-moderate	105.7 (13.49) ab	4.96 (0.22) ab	50.7 (4.52) ab
Infrequent-light	132.8 (9.54) a	5.23 (0.16) a	59.9 (3.20) a
Infrequent-none	87.5 (11.68) bc	5.16 (0.19) a	47.9 (3.92) b
<i>P</i> -value	0.0001	0.0001	0.0001
Contrasts ³			
Frequent vs infrequent	0.0033	0.0005	0.0003
Heavy vs moderate	0.0209	0.3331	0.0275
Interaction	0.8584	0.1769	0.6294

¹SE indicates standard error of the mean.

²Means followed by different letters are significantly different ($P < 0.05$).

³Contrasts do not include infrequent-light and infrequent-none pastures.