

ID	Date	Time	Field3	Field4	Temperature	Treatment
1	5/20/2010	9:15:00 AM	AM	F	65.3	BlackPlastic
2	5/20/2010	10:45:00 AM	AM	F	67.1	BlackPlastic
3	5/20/2010	12:15:00 PM	PM	F	57.2	BlackPlastic
4	5/20/2010	1:45:00 AM	PM	F	59.9	BlackPlastic
5	5/20/2010	3:15:00 AM	PM	F	63.5	BlackPlastic
6	5/20/2010	4:45:00 AM	PM	F	66.2	BlackPlastic
7	5/20/2010	6:15:00 AM	PM	F	66.2	BlackPlastic
8	5/20/2010	7:45:00 AM	PM	F	65.3	BlackPlastic
9	5/20/2010	9:15:00 AM	PM	F	61.7	BlackPlastic
10	5/20/2010	10:45:00 AM	PM	F	59	BlackPlastic
11	5/21/2010	12:15:00 PM	AM	F	57.2	BlackPlastic
12	5/21/2010	1:45:00 AM	AM	F	55.4	BlackPlastic
13	5/21/2010	3:15:00 AM	AM	F	53.6	BlackPlastic
14	5/21/2010	4:45:00 AM	AM	F	52.7	BlackPlastic
15	5/21/2010	6:15:00 AM	AM	F	51.8	BlackPlastic
16	5/21/2010	7:45:00 AM	AM	F	50.9	BlackPlastic
17	5/21/2010	9:15:00 AM	AM	F	51.8	BlackPlastic
18	5/21/2010	10:45:00 AM	AM	F	54.5	BlackPlastic
19	5/21/2010	12:15:00 PM	PM	F	59.9	BlackPlastic
20	5/21/2010	1:45:00 AM	PM	F	63.5	BlackPlastic
21	5/21/2010	3:15:00 AM	PM	F	65.3	BlackPlastic
22	5/21/2010	4:45:00 AM	PM	F	65.3	BlackPlastic
23	5/21/2010	6:15:00 AM	PM	F	65.3	BlackPlastic
24	5/21/2010	7:45:00 AM	PM	F	64.4	BlackPlastic
25	5/21/2010	9:15:00 AM	PM	F	62.6	BlackPlastic
26	5/21/2010	10:45:00 AM	PM	F	59.9	BlackPlastic