

Table 2. Innovative Under Trellis Management for Vineyards
Cooperating grower fruit sampling and pruning weight results

	Variety		Brix	TA, g/l	pH	Wt./100 berries – g.	Vine pruning wt.-kg
Grower 1 Berries sampled 10-1-12	Merlot	Herbicide	20.3	7.50	3.33	204.4	Not yet taken
		Clover	20.9	7.05	3.24	192.3	“
		Clover+ no mow	21.3	7.20	3.24	208.3	“
		No mow fescue	21.2	6.90	3.26	207.8	“
Grower 2 9-25-12	Refosco	Herbicide	18.7	11.40	3.04	173.0	0.36
		Clover	17.7	11.10	3.02	193.9	0.43
	Lagrein	Herbicide	18.9	11.40	3.02	199.4	0.62
		Clover	17.8	11.25	3.02	214.4	0.69
Grower 3 9-19-12	Chardonnay	Clover	22.7	7.20	3.31	158.2	--
		Cultivated	23.4	6.90	3.24	138.8	--
	Cabernet Franc	No mow fescue	21.2	6.90	3.26	178.6	--
		Cultivated	21.3	6.60	3.28	177.1	--
Grower 4 9-19-12	Gruner Veltliner	Clover seeded 2011	18.7	7.05	3.28	188.2	0.63
		Clover seeded 2012	20.2	6.45	3.19	202.7	0.68

Berry samples & pruning weights were taken from a small sample area within each cooperating vineyard, not from replicated plots.