

## Literature Cited

- Bakker, J. D., S. D. Wilson, J. M. Christian, X. Li, L. G. Ambrose, and J. Waddington. 2003. Contingency of grassland restoration on year, site, and competition from introduced grasses. *Ecological Applications* 13:137–153.
- Barnes, T. G. 2004. Strategies to convert exotic grass pastures to tall grass prairie communities. *Weed Technology* 18:1364–1370.
- Barnes, T. G., S. J. DeMaso, and M. A. Bahm. 2013. The impact of 3 exotic, invasive grasses in the Southeastern United States on Wildlife. *The Wildlife Society Bulletin* 37:497–502.
- Burns, J. C., and D. S. Fisher. 2008. ‘Coastal’ and ‘Tifton 44’ bermudagrass availability on animal and pasture productivity. *Agronomy Journal* 100:1280–1288.
- Burns, J. C., and D. S. Fisher. 2013. Steer performance and pasture productivity among five perennial warm-season grasses. *Agronomy Journal* 105:113–123.
- Burns, J. C., M. G. Waggoner, and D. S. Fisher. 2009. Animal and pasture productivity of ‘Coastal’ and ‘Tifton 44’ bermudagrass at three Nitrogen rates and associated soil nitrogen status. *Agronomy Journal* 101:32–40.
- Burns, J. C., R. D. Mochrie, and D. H. Timothy. 1984. Steer performance from two perennial *Pennisetum* species, switchgrass and a fescue-‘Coastal’ bermudagrass system. *Agronomy Journal* 76:795–800.
- Burton, R. J. F., and G. Schwarz. 2013. Result-oriented agri-environmental schemes in Europe and their potential for promoting behavioural change. *Land Use Policy* 30:628–641.
- CIMMYT. 1988. From agronomic data to farmer recommendations: An economics training manual. Completely revised edition. Available at: <http://repository.cimmyt.org/xmlui/bitstream/handle/10883/830/13803.pdf> (accessed 16 January 2014).
- Chamberlain, S. K., L. K. Paine, J. L. Harrison, and R. D. Jackson. 2012. Tradeoffs in performance of native warm-season grass cultivars and locally harvested seed managed for wildlife habitat or livestock production. *Agronomy Journal* 104:1383–1391.
- Claassen, R., A. Cattaneo, and R. Johansson. 2008. Cost-effective design of agri-environmental payment programs: U.S. experience in theory and practice. *Ecological Economics* 65:737–752.

- Coleman, S. W., W. A. Phillips, J. D. Volesky, and D. Buchanan. 2001. A comparison of native tallgrass prairie and plains bluestem forage systems for cow-calf production in the Southern Great Plains. *Journal of Animal Science* 79:1697–1705.
- Deak, A., M. H. Hall, M. A. Sanderson, A. Rotz, and M. Corson. 2010. Whole-farm evaluation of forage mixtures and grazing strategies. *Agronomy Journal* 102:1201–1209.
- Doll, J. E., and R. D. Jackson. 2009. Wisconsin farmer attitudes regarding native grass use in grazing systems. *Journal of Soil and Water Conservation* 64:276–285.
- Dunn, B. H., A. J. Smart, R. N. Gates, P. S. Johnson, M. K. Beutler, M. A. Diersen, and L. L. Janssen. 2010. Long-term production and profitability from grazing cattle in the Northern Mixed Grass Prairie. *Rangeland Ecology and Management* 63:233–242.
- Esseks, J. D., and S. E. Kraft. 1986. Landowner views of obstacles to wider participation in the Conservation Reserve Program. *Journal of Soil and Water Conservation* 41:410–414.
- Flanders, K. L. and B. M. Brees. 2009. Management of imported fire ants in cattle production systems. Alabama Cooperative Extension Circular ANR-1248. Available at: <http://www.extension.org/pages/9755/management-of-imported-fire-ants-in-cattle-production-systems-printable-version>.
- Forbes, A. R., C. B. Dabbert, R. B. Mitchell, and J. M. Mueller. 2002. Does habitat management for northern bobwhite benefit the red imported fire ant? Pages 135–140 *in* S. J. DeMaso, W. P. Kuvlesky, Jr., F. Hernández, and M. E. Berger, editors. *Quail V: Proceedings of the Fifth National Quail Symposium*. Texas Parks and Wildlife Department, Austin, Texas, USA.
- Franzluebbers, A. J., J. A. Stuedemann, and D. H. Seman. 2012. Stocker performance and production in mixed tall fescue-bermudagrass pastures of the Southern Piedmont USA. *Renewable Agriculture and Food Systems* 28:160–172.
- Fuhlendorf, S. D., and D. M. Engle. 2001. Restoring heterogeneity on rangelands: ecosystem management based on evolutionary grazing patterns. *BioScience* 51:625–632.
- Gelman, A., J. B. Carlin, H. S. Stern, D. B. Dunson, A. Vehtari, and D. B. Rubin. 2014. *Bayesian Data Analysis*. Third edition. CRC Press, Boca Raton, Florida, USA.
- Gillen, R. L. and W. A. Berg. 2001. Complementary grazing of native pasture and Old World bluestem. *Journal of Range Management* 54:348–355.
- Giuliano, W. M., and S. E. Daves. 2002. Avian response to warm-season grass use in pasture and hayfield management. *Biological Conservation* 106:1–9.

- Hale, S. L., S. Riffell, L. W. Burger, Jr., H. L. Adams, and J. G. Dollar. 2011. Fire ant response to management of native grass conservation buffers. *The American Midland Naturalist* 166:283–291.
- Harper, C. A., G. E. Bates, M. P. Hansbrough, M. J. Gudlin, J. P. Gruchy, and P. D. Keyser. 2007. Native warm-season grasses: Identification, establishment and management for wildlife and forage production in the Mid-south. University of Tennessee Extension, Knoxville, Tennessee, USA.
- Hays, K. B., M. Wagner, F. Smeins, and R. N. Wilkins. 2005. Restoring native grasslands. Texas Cooperative Extension, College Station, Texas, USA.
- Hill, J. G., K. S. Summerville, and R. L. Brown. 2008. Habitat associations of ant species (Hymenoptera: Formicidae) in a heterogeneous Mississippi landscape. *Environmental Entomology* 37:453–463.
- Jacobson, S. K., K. E. Sieving, G. A. Jones, and A. van Doorn. 2003. Assessment of farmer attitudes and behavioral intentions toward bird conservation on organic and conventional Florida farms. *Conservation Biology* 17:595–606.
- King, J. R., and W. R. Tschinkel. 2008. Experimental evidence that human impacts drive fire ant invasions and ecological change. *Proceedings of the National Academy of Science* 105:20339–20343.
- Lubell, M. N., B. B. Cutts, L. M. Roche, M. Hamilton, J. D. Derner, E. Kachergis, and K. W. Tate. 2013. Conservation program participation and adaptive rangeland decision-making. *Rangeland Ecology and Management* 66:609–620.
- Manley, W. A., R. H. Hart, M. J. Samuel, M. A. Smith, J. W. Waggoner, Jr., and J. T. Manley. 1997. Vegetation, cattle, and economic responses to grazing strategies and pressures. *Journal of Range Management* 50:638–646.
- Martin, J. B., D. M. Drees, W. E. Grant, E. K. Pedersen, C. L. Barr, and S. B. Vinson. 1998. Foraging range of the polygynous form of the red imported fire ant, *Solenopsis invicta* Buren. *Southwestern Entomologist* 23:221–228.
- Matzdorf, B., and J. Lorenz. 2010. How cost-effective are result-oriented agri-environmental measures?—An empirical analysis in Germany. *Land Use Policy* 27:535–544.
- Matzdorf, B., T. Kaiser, and M.-S. Rohner. 2008. Developing biodiversity indicator to design efficient agri-environmental schemes for extensively used grassland. *Ecological Indicators* 8:256–269.
- McCoy, T. D., M. R. Ryan, L. W. Burger, Jr., and E. W. Kurzejeski. 2001. Grassland bird conservation: CP1 vs. CP2 plantings in Conservation Reserve Program fields in Missouri. *The American Midland Naturalist* 145:1–17.

- McCoy, T. D., M. R. Ryan, E. W. Kurzejeski, and L. W. Burger, Jr. 1999. Conservation Reserve Program: Source or sink habitat for grassland birds in Missouri? *The Journal of Wildlife Management* 63:530–538.
- Menzel, T. O., D. C. Cross, J. Chen, M. A. Caprio, and T. E. Nebeker. 2008. A survey of imported fire ant (Hymenoptera: Formicidae), species and social forms across four counties in east-central Mississippi. *Midsouth Entomologist* 1:3–10.
- Monroe, A. P. 2014. Ecological and economic implications of plant diversity and grazing in pasture systems. Dissertation, Mississippi State University, Mississippi State, Mississippi, USA.
- Mousel, E. M., W. H. Schacht, and L. E. Moser. 2003. Summer grazing strategies following early-season grazing of big bluestem. *Agronomy Journal* 95:1240–1245.
- Musters, C. J. M., M. Kruk, H. J. de Graaf, and W. J. ter Keurs. 2001. Breeding birds as a farm product. *Conservation Biology* 15:363–369.
- National Agricultural Statistics Service [NASS]. 2013a. Agricultural prices. Available at: <http://usda.mannlib.cornell.edu/> (accessed 1 January 2014).
- National Agricultural Statistics Service [NASS]. 2013b. Cash rents by county. Available at: [http://www.nass.usda.gov/Surveys/Guide\\_to\\_NASS\\_Surveys/Cash\\_Rents\\_by\\_County/index.asp](http://www.nass.usda.gov/Surveys/Guide_to_NASS_Surveys/Cash_Rents_by_County/index.asp) (accessed 1 January 2014).
- Oloyede, B. 2013. Nutritional profile of native warm-season grass grown as a mono- or multi-species pasture. Thesis, Mississippi State University, Mississippi State, Mississippi, USA.
- Parsch, L. D., M. P. Popp, and O. J. Loewer. 1997. Stocking rate risk for pasture-fed steers under weather uncertainty. *Journal of Range Management* 50:541–549.
- Phillips, W. A., and S. W. Coleman. 1995. Productivity and economic return of three warm season grass stocker systems for the Southern Great Plains. *Journal of Production Agriculture* 8:334–339.
- Porter, S. D., and W. R. Tschinkel. 1987. Foraging in *Solenopsis invicta* (Hymenoptera: Formicidae): Effects of weather and season. *Environmental Entomology* 16:802–808.
- R Development Core Team. 2014. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. Available at: <http://www.R-project.org> (accessed 23 April 2014).

- Rhea, A. J., E. L. Rawls, T. L. McKinley, and K. W. Ferguson. 2007. Tennessee beef budgets: A systems approach to beef production (AE07-41). Institute of Agriculture, University of Tennessee, Knoxville, Tennessee, USA. Available at: <http://economics.ag.utk.edu/budgets/BeefBudgets2007.pdf> (accessed 17 January 2014).
- Robel, R. J., J. N. Briggs, A. D. Dayton, and L. C. Hulbert. 1970. Relationships between visual obstruction measurements and weight of grassland vegetation. *Journal of Range Management* 23:295–297.
- Ross, K. G., R. K. Vander Meer, D. J. C. Fletcher, and E. L. Vargo. 1987. Biochemical phenotypic and genetic studies of two introduced fire ants and their hybrid (Hymenoptera: Formicidae). *Ecology* 41:280–293.
- Royle, J. A., and R. M. Dorazio. 2008. Hierarchical modeling and inference in ecology. Elsevier Ltd., Oxford, UK.
- Sanderson, M. A., K. J. Soder, L. D. Muller, K. D. Klement, R. H. Skinner, and S. C. Goslee. 2005. Forage mixture productivity and botanical composition in pastures grazed by dairy cattle. *Agronomy Journal* 97:1465–1471.
- Sauer, J. R., and W. A. Link. 2011. Analysis of the North American Breeding Bird Survey using hierarchical models. *The Auk* 128:87–98.
- Shoemaker, D. D., K. G. Ross, and M. L. Arnold. 1994. Development of RAPD markers in two introduced fire ants, *Solenopsis invicta* and *S. richteri*, and their application to the study of a hybrid zone. *Molecular Ecology* 3:531–539.
- Stiles, J. H., and R. H. Jones. 1998. Distribution of red imported fire ant, *Solenopsis invicta*, in road and powerline habitats. *Landscape Ecology* 335:335–346.
- Streett, D. A., T. B. Freeland, Jr., and R. K. Vander Meer. 2006. Survey of imported fire ant (Hymenoptera: Formicidae) populations in Mississippi. *Florida Entomologist* 89:91–92.
- Stuble, K. L., L. K. Kirkman, C. R. Carroll, and N. J. Sanders. 2011. Relative effects of disturbance on red imported fire ants and native ant species in a Longleaf pine ecosystem. *Conservation Biology* 25:618–622.
- Toombs, T. P., and M. G. Roberts. 2009. Are Natural Resources Conservation Service range management investments working at cross-purposes with wildlife habitat goals on Western United States rangelands? *Rangeland Ecology and Management* 62:351–355.
- Tschinkel, W. R. 1993. Sociometry and sociogenesis of colonies of the fire ant *Solenopsis invicta* during one annual cycle. *Ecological Monographs* 63:425–457.

- Tucker, J. W., G. R. Schrott, and R. Bowman. 2010. Fire ants, cattle grazing, and the endangered Florida Grasshopper Sparrow. *Southeastern Naturalist* 9:237–250.
- Utley, P. R., W. H. Marchant, and W. C. McCormick. 1976. Evaluation of annual grass forages in prepared seedbeds and overseeded into perennial sods. *Journal of Animal Science* 42:16–20.
- Valles, S. M., and S. D. Porter. 2003. Identification of polygyne and monogyne fire ant colonies (*Solenopsis invicta*) by multiplex PCR of *Gp-9* alleles. *Insectes Sociaux* 50:199–200.
- Vander Meer, R. K., C. S. Lofgren, and F. M. Alvarez. 1985. Biochemical evidence for hybridization in fire ants. *The Florida Entomologist* 68:501–506.
- Vogt, J. T., D. A. Streett, and D. Boykin. 2004. Seasonal characteristics of black imported fire ant (Hymenoptera: Formicidae) mounds in northern Mississippi pastures. *Sociobiology* 43:513–522.
- Vogt, J. T., W. A. Smith, R. A. Grantham, and R. E. Wright. 2003. Effects of temperature and season on foraging activity of red imported fire ants (Hymenoptera: Formicidae) in Oklahoma. *Environmental Entomology* 32:447–451.
- Vogt, J. T., M. L. Allen, B. Wallet, D. Boykin, and W. A. Smith. 2009. Distribution patterns of imported fire ants (Hymenoptera: Formicidae) on a sheep and goat farm in Oklahoma. *Environmental Entomology* 38:551–560.
- Willcox, A. S., W. M. Giuliano, and M. C. Monroe. 2012. Predicting cattle rancher wildlife management activities: An application of the theory of planned behavior. *Human Dimensions of Wildlife: An International Journal* 17:159–173.
- Zimmerman, J. L. 1971. The territory and its density dependent effect in *Spiza americana*. *The Auk* 88:591–612.