

## Literature Cited

- Bakker, J. D., S. D. Wilson, J. M. Christian, X. Li, L. G. Ambrose, and J. Waddington. 2003. Contingency of grassland restoration on year, site, and competition from introduced grasses. *Ecological Applications* 13:137–153.
- Barnes, T. G. 2004. Strategies to convert exotic grass pastures to tall grass prairie communities. *Weed Technology* 18:1364–1370.
- Barnes, T. G., S. J. DeMaso, and M. A. Bahm. 2013. The impact of 3 exotic, invasive grasses in the Southeastern United States on Wildlife. *The Wildlife Society Bulletin* 37:497–502.
- Burns, J. C., and D. S. Fisher. 2008. ‘Coastal’ and ‘Tifton 44’ bermudagrass availability on animal and pasture productivity. *Agronomy Journal* 100:1280–1288.
- Burns, J. C., and D. S. Fisher. 2013. Steer performance and pasture productivity among five perennial warm-season grasses. *Agronomy Journal* 105:113–123.
- Burns, J. C., M. G. Waggoner, and D. S. Fisher. 2009. Animal and pasture productivity of ‘Coastal’ and ‘Tifton 44’ bermudagrass at three Nitrogen rates and associated soil nitrogen status. *Agronomy Journal* 101:32–40.
- Burns, J. C., R. D. Mochrie, and D. H. Timothy. 1984. Steer performance from two perennial *Pennisetum* species, switchgrass and a fescue-‘Coastal’ bermudagrass system. *Agronomy Journal* 76:795–800.
- Burton, R. J. F., and G. Schwarz. 2013. Result-oriented agri-environmental schemes in Europe and their potential for promoting behavioural change. *Land Use Policy* 30:628–641.
- CIMMYT. 1988. From agronomic data to farmer recommendations: An economics training manual. Completely revised edition. Available at: <http://repository.cimmyt.org/xmlui/bitstream/handle/10883/830/13803.pdf> (accessed 16 January 2014).
- Chamberlain, S. K., L. K. Paine, J. L. Harrison, and R. D. Jackson. 2012. Tradeoffs in performance of native warm-season grass cultivars and locally harvested seed managed for wildlife habitat or livestock production. *Agronomy Journal* 104:1383–1391.
- Claassen, R., A. Cattaneo, and R. Johansson. 2008. Cost-effective design of agri-environmental payment programs: U.S. experience in theory and practice. *Ecological Economics* 65:737–752.

- Coleman, S. W., W. A. Phillips, J. D. Volesky, and D. Buchanan. 2001. A comparison of native tallgrass prairie and plains bluestem forage systems for cow-calf production in the Southern Great Plains. *Journal of Animal Science* 79:1697–1705.
- Deak, A., M. H. Hall, M. A. Sanderson, A. Rotz, and M. Corson. 2010. Whole-farm evaluation of forage mixtures and grazing strategies. *Agronomy Journal* 102:1201–1209.
- Doll, J. E., and R. D. Jackson. 2009. Wisconsin farmer attitudes regarding native grass use in grazing systems. *Journal of Soil and Water Conservation* 64:276–285.
- Dunn, B. H., A. J. Smart, R. N. Gates, P. S. Johnson, M. K. Beutler, M. A. Diersen, and L. L. Janssen. 2010. Long-term production and profitability from grazing cattle in the Northern Mixed Grass Prairie. *Rangeland Ecology and Management* 63:233–242.
- Esseks, J. D., and S. E. Kraft. 1986. Landowner views of obstacles to wider participation in the Conservation Reserve Program. *Journal of Soil and Water Conservation* 41:410–414.
- Flanders, K. L. and B. M. Brees. 2009. Management of imported fire ants in cattle production systems. Alabama Cooperative Extension Circular ANR-1248. Available at: <http://www.extension.org/pages/9755/management-of-imported-fire-ants-in-cattle-production-systems-printable-version>.
- Forbes, A. R., C. B. Dabbert, R. B. Mitchell, and J. M. Mueller. 2002. Does habitat management for northern bobwhite benefit the red imported fire ant? Pages 135–140 in S. J. DeMaso, W. P. Kuvlesky, Jr., F. Hernández, and M. E. Berger, editors. *Quail V: Proceedings of the Fifth National Quail Symposium*. Texas Parks and Wildlife Department, Austin, Texas, USA.
- Franzluebbers, A. J., J. A. Stuedemann, and D. H. Seman. 2012. Stocker performance and production in mixed tall fescue-bermudagrass pastures of the Southern Piedmont USA. *Renewable Agriculture and Food Systems* 28:160–172.
- Fuhlendorf, S. D., and D. M. Engle. 2001. Restoring heterogeneity on rangelands: ecosystem management based on evolutionary grazing patterns. *BioScience* 51:625–632.
- Gelman, A., J. B. Carlin, H. S. Stern, D. B. Dunson, A. Vehtari, and D. B. Rubin. 2014. *Bayesian Data Analysis*. Third edition. CRC Press, Boca Raton, Florida, USA.
- Gillen, R. L. and W. A. Berg. 2001. Complementary grazing of native pasture and Old World bluestem. *Journal of Range Management* 54:348–355.
- Giuliano, W. M., and S. E. Daves. 2002. Avian response to warm-season grass use in pasture and hayfield management. *Biological Conservation* 106:1–9.

- Hale, S. L., S. Riffell, L. W. Burger, Jr., H. L. Adams, and J. G. Dollar. 2011. Fire ant response to management of native grass conservation buffers. *The American Midland Naturalist* 166:283–291.
- Harper, C. A., G. E. Bates, M. P. Hansbrough, M. J. Gudlin, J. P. Gruchy, and P. D. Keyser. 2007. Native warm-season grasses: Identification, establishment and management for wildlife and forage production in the Mid-south. University of Tennessee Extension, Knoxville, Tennessee, USA.
- Hays, K. B., M. Wagner, F. Smeins, and R. N. Wilkins. 2005. Restoring native grasslands. Texas Cooperative Extension, College Station, Texas, USA.
- Hill, J. G., K. S. Summerville, and R. L. Brown. 2008. Habitat associations of ant species (Hymenoptera: Formicidae) in a heterogeneous Mississippi landscape. *Environmental Entomology* 37:453–463.
- Jacobson, S. K., K. E. Sieving, G. A. Jones, and A. van Doorn. 2003. Assessment of farmer attitudes and behavioral intentions toward bird conservation on organic and conventional Florida farms. *Conservation Biology* 17:595–606.
- King, J. R., and W. R. Tschinkel. 2008. Experimental evidence that human impacts drive fire ant invasions and ecological change. *Proceedings of the National Academy of Science* 105:20339–20343.
- Lubell, M. N., B. B. Cutts, L. M. Roche, M. Hamilton, J. D. Derner, E. Kachergis, and K. W. Tate. 2013. Conservation program participation and adaptive rangeland decision-making. *Rangeland Ecology and Management* 66:609–620.
- Manley, W. A., R. H. Hart, M. J. Samuel, M. A. Smith, J. W. Waggoner, Jr., and J. T. Manley. 1997. Vegetation, cattle, and economic responses to grazing strategies and pressures. *Journal of Range Management* 50:638–646.
- Martin, J. B., D. M. Drees, W. E. Grant, E. K. Pedersen, C. L. Barr, and S. B. Vinson. 1998. Foraging range of the polygynous form of the red imported fire ant, *Solenopsis invicta* Buren. *Southwestern Entomologist* 23:221–228.
- Matzdorf, B., and J. Lorenz. 2010. How cost-effective are result-oriented agri-environmental measures?—An empirical analysis in Germany. *Land Use Policy* 27:535–544.
- Matzdorf, B., T. Kaiser, and M.-S. Rohner. 2008. Developing biodiversity indicator to design efficient agri-environmental schemes for extensively used grassland. *Ecological Indicators* 8:256–269.
- McCoy, T. D., M. R. Ryan, L. W. Burger, Jr., and E. W. Kurzejeski. 2001. Grassland bird conservation: CP1 vs. CP2 plantings in Conservation Reserve Program fields in Missouri. *The American Midland Naturalist* 145:1–17.

- McCoy, T. D., M. R. Ryan, E. W. Kurzejeski, and L. W. Burger, Jr. 1999. Conservation Reserve Program: Source or sink habitat for grassland birds in Missouri? The Journal of Wildlife Management 63:530–538.
- Menzel, T. O., D. C. Cross, J. Chen, M. A. Caprio, and T. E. Nebeker. 2008. A survey of imported fire ant (Hymenoptera: Formicidae), species and social forms across four counties in east-central Mississippi. Midsouth Entomologist 1:3–10.
- Monroe, A. P. 2014. Ecological and economic implications of plant diversity and grazing in pasture systems. Dissertation, Mississippi State University, Mississippi State, Mississippi, USA.
- Mousel, E. M., W. H. Schacht, and L. E. Moser. 2003. Summer grazing strategies following early-season grazing of big bluestem. Agronomy Journal 95:1240–1245.
- Musters, C. J. M., M. Kruk, H. J. de Graaf, and W. J. ter Keurs. 2001. Breeding birds as a farm product. Conservation Biology 15:363–369.
- National Agricultural Statistics Service [NASS]. 2013a. Agricultural prices. Available at: <http://usda.mannlib.cornell.edu/> (accessed 1 January 2014).
- National Agricultural Statistics Service [NASS]. 2013b. Cash rents by county. Available at: [http://www.nass.usda.gov/Surveys/Guide\\_to\\_NASS\\_Surveys/Cash\\_Rents\\_by\\_County/index.asp](http://www.nass.usda.gov/Surveys/Guide_to_NASS_Surveys/Cash_Rents_by_County/index.asp) (accessed 1 January 2014).
- Oloyede, B. 2013. Nutritional profile of native warm-season grass grown as a mono- or multi-species pasture. Thesis, Mississippi State University, Mississippi State, Mississippi, USA.
- Parsch, L. D., M. P. Popp, and O. J. Loewer. 1997. Stocking rate risk for pasture-fed steers under weather uncertainty. Journal of Range Management 50:541–549.
- Phillips, W. A., and S. W. Coleman. 1995. Productivity and economic return of three warm season grass stocker systems for the Southern Great Plains. Journal of Production Agriculture 8:334–339.
- Porter, S. D., and W. R. Tschinkel. 1987. Foraging in *Solenopsis invicta* (Hymenoptera: Formicidae): Effects of weather and season. Environmental Entomology 16:802–808.
- R Development Core Team. 2014. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. Available at: <http://www.R-project.org> (accessed 23 April 2014).

- Rhea, A. J., E. L. Rawls, T. L. McKinley, and K. W. Ferguson. 2007. Tennessee beef budgets: A systems approach to beef production (AE07-41). Institute of Agriculture, University of Tennessee, Knoxville, Tennessee, USA. Available at: <http://economics.ag.utk.edu/budgets/BeefBudgets2007.pdf> (accessed 17 January 2014).
- Robel, R. J., J. N. Briggs, A. D. Dayton, and L. C. Hulbert. 1970. Relationships between visual obstruction measurements and weight of grassland vegetation. *Journal of Range Management* 23:295–297.
- Ross, K. G., R. K. Vander Meer, D. J. C. Fletcher, and E. L. Vargo. 1987. Biochemical phenotypic and genetic studies of two introduced fire ants and their hybrid (Hymenoptera: Formicidae). *Ecology* 41:280–293.
- Royle, J. A., and R. M. Dorazio. 2008. Hierarchical modeling and inference in ecology. Elsevier Ltd., Oxford, UK.
- Sanderson, M. A., K. J. Soder, L. D. Muller, K. D. Klement, R. H. Skinner, and S. C. Goslee. 2005. Forage mixture productivity and botanical composition in pastures grazed by dairy cattle. *Agronomy Journal* 97:1465–1471.
- Sauer, J. R., and W. A. Link. 2011. Analysis of the North American Breeding Bird Survey using hierarchical models. *The Auk* 128:87–98.
- Shoemaker, D. D., K. G. Ross, and M. L. Arnold. 1994. Development of RAPD markers in two introduced fire ants, *Solenopsis invicta* and *S. richteri*, and their application to the study of a hybrid zone. *Molecular Ecology* 3:531–539.
- Stiles, J. H., and R. H. Jones. 1998. Distribution of red imported fire ant, *Solenopsis invicta*, in road and powerline habitats. *Landscape Ecology* 33:335–346.
- Streett, D. A., T. B. Freeland, Jr., and R. K. Vander Meer. 2006. Survey of imported fire ant (Hymenoptera: Formicidae) populations in Mississippi. *Florida Entomologist* 89:91–92.
- Stuble, K. L., L. K. Kirkman, C. R. Carroll, and N. J. Sanders. 2011. Relative effects of disturbance on red imported fire ants and native ant species in a Longleaf pine ecosystem. *Conservation Biology* 25:618–622.
- Toombs, T. P., and M. G. Roberts. 2009. Are Natural Resources Conservation Service range management investments working at cross-purposes with wildlife habitat goals on Western United States rangelands? *Rangeland Ecology and Management* 62:351–355.
- Tschinkel, W. R. 1993. Sociometry and sociogenesis of colonies of the fire ant *Solenopsis invicta* during one annual cycle. *Ecological Monographs* 63:425–457.

- Tucker, J. W., G. R. Schrott, and R. Bowman. 2010. Fire ants, cattle grazing, and the endangered Florida Grasshopper Sparrow. *Southeastern Naturalist* 9:237–250.
- Utley, P. R., W. H. Marchant, and W. C. McCormick. 1976. Evaluation of annual grass forages in prepared seedbeds and overseeded into perennial sods. *Journal of Animal Science* 42:16–20.
- Valles, S. M., and S. D. Porter. 2003. Identification of polygyne and monogyne fire ant colonies (*Solenopsis invicta*) by multiplex PCR of *Gp-9* alleles. *Insectes Sociaux* 50:199–200.
- Vander Meer, R. K., C. S. Lofgren, and F. M. Alvarez. 1985. Biochemical evidence for hybridization in fire ants. *The Florida Entomologist* 68:501–506.
- Vogt, J. T., D. A. Streett, and D. Boykin. 2004. Seasonal characteristics of black imported fire ant (Hymenoptera: Formicidae) mounds in northern Mississippi pastures. *Sociobiology* 43:513–522.
- Vogt, J. T., W. A. Smith, R. A. Grantham, and R. E. Wright. 2003. Effects of temperature and season on foraging activity of red imported fire ants (Hymenoptera: Formicidae) in Oklahoma. *Environmental Entomology* 32:447–451.
- Vogt, J. T., M. L. Allen, B. Wallet, D. Boykin, and W. A. Smith. 2009. Distribution patterns of imported fire ants (Hymenoptera: Formicidae) on a sheep and goat farm in Oklahoma. *Environmental Entomology* 38:551–560.
- Willcox, A. S., W. M. Giuliano, and M. C. Monroe. 2012. Predicting cattle rancher wildlife management activities: An application of the theory of planned behavior. *Human Dimensions of Wildlife: An International Journal* 17:159–173.
- Zimmerman, J. L. 1971. The territory and its density dependent effect in *Spiza americana*. *The Auk* 88:591–612.