

# Cover Crop for Co-Management



O'AHU  
RESOURCE  
CONSERVATION &  
DEVELOPMENT COUNCIL

October 2020



COOPERATIVE EXTENSION  
UNIVERSITY OF HAWAII AT MANOA

## Co-management:

Refers to managing farms and their surrounding environments such that multiple goals are achieved: natural resource conservation *and* food safety.

## Co-management practices:

Refers to those *best management practices* (BMPs) which meet objectives in both natural resource conservation and food safety.

**Cover crops:** Grasses, legumes, and forbs planted for seasonal vegetative cover and encouraging beneficial insects.

## How do cover crops help?

Improves soil health and soil biodiversity, helping to encourage microbial competition that suppress pathogens. Cover crops can also improve soil structure, leading to increased infiltration of water and reduce the risk of potentially contaminated runoff or irrigated water to come in contact with adjacent cash crops. Some cover crops are also effective at increasing nutrients in the soil.

**Best use:** Good for farms that need to improve soil health, reduce fertilizer input, and attract beneficial insects.



Sunn hemp growing in Windward Oahu

## Functions

- Increased plant and microbial biodiversity
- Improved soil structure
- Increased water infiltration
- Increased available nutrients

## Benefits

### ...to food safety

- ❖ Balancing/suppressing populations of human pathogens
- ❖ Reducing potentially contaminated runoff or standing water

### ...to conservation

- ❖ Building soil carbon and health
- ❖ Reducing runoff and soil erosion
- ❖ Improved drought tolerance
- ❖ Improved nutrient availability

## Practicality

### the pros

- ❖ Reduced need for fertilizer
- ❖ Suppression of crop pests
- ❖ Reduced erosion and increased infiltration

### the cons

- ❖ Uncertainty regarding which cover crops will best compliment the farmer's goals
- ❖ Using a cover crop incorrectly can be detrimental to the cash crop
- ❖ Lack of equipment for seeding and/or removal
- ❖ Cost and availability of seed

## Literature Summary

- Glucosinolate compounds from Brassica cover crops and residues have an antibacterial effect on *Salmonella* and *E. coli* O157:H7 (Patel 2013).
- Higher soil organic matter and moisture content, soil microbial diversity, and lower soil pH suppress *E. coli* abundance in the soil (Williams et al. 2015; Xing et al. 2019).

## References

- Patel, J. 2013. Glucosinolate-derived compounds as a green manure for controlling *E. coli* O157:H7 and *Salmonella* in soil. Center for Produce Safety Interim Report.
- Williams, M., LeJeune, J. T., and B.M. Gardener. 2015. Soil conditions that can alter natural suppression of *Escherichia coli* O157:H7 in Ohio Specialty Crop Soils. *Applied and environmental microbiology*, 81(14), 4634-4641.
- Xing, J., Wang, H., Brookes, P. C., Salles, J. F., and J. Xu. 2019. Soil pH and microbial diversity constrain the survival of *E. coli* in soil. *Soil Biology and Biochemistry*, 128, 139-149.

## Resources

1. Learn more about co-management: [Wild Farm Alliance: Food safety and Conservation Resources](#)
2. Learn more about food safety: [Roots FSMA Guide](#) & [Produce Safety Alliance](#)
3. Learn more about conservation practices and on-farm assistance opportunities: [Oahu RC&D](#) & [CTAHR Extension](#)

## Acknowledgements

Produced by O'ahu Resource Conservation and Development Council (O'ahu RC&D) in collaboration with CTAHR Cooperative Extension, University of Hawai'i at Mānoa

*This fact sheet is provided by O'ahu RC&D in good faith, but without warranty. It is intended as an educational resource and not as advice tailored to a specific farm operation or a substitute for actual regulations and guidance from FDA or other regulatory agencies. We will not be responsible or liable directly or indirectly for any consequences resulting from use of information provided in this document or resources suggested in this document.*

O'ahu RC&D supports sustainable agricultural operations throughout the state of Hawai'i by creating opportunities for grant funding to implement best management practices, providing conservation planning, and through development of farmer networks. Find out more at [oahurcd.org](http://oahurcd.org).

This material is based upon work that is supported by the National Institute of Food and Agriculture, U.S. Department of Agriculture, under award number 2018-38640-28418 through the Western Sustainable Agriculture Research and Education program under project number WPDP19-24. USDA is an equal opportunity employer and service provider. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the U.S. Department of Agriculture.



O'AHU  
RESOURCE  
CONSERVATION &  
DEVELOPMENT COUNCIL



COOPERATIVE EXTENSION  
UNIVERSITY OF HAWAII AT MANOA



Sustainable Agriculture  
Research & Education



United States  
Department of  
Agriculture

National Institute  
of Food and  
Agriculture

**Check out additional factsheets and learn more about co-management at [oahurcd.org/comangement](http://oahurcd.org/comangement)**