No-Til	l Yield Data 20	020						
Plot	Combined sample weight (lb)	sample	1/10th of sample weight, grain only (lb)	Combined sample weight, grain only (lb)	Moisture (%)	Combined sample weight accounting for moisture, grain only (lb)	Yield (lb/ acre)	Yield (bushels/
Н	67.8	6.78	4.362	43.6	17.9%	51.2	12806.4	229
G	66.4	6.64	5.156	51.6	17.5%	60.6	15138.2	270.3
F	64	6.4	5.356	53.6	20.0%	62.9	15721.4	280.7
E	66	6.6	4.266	42.7	17.4%	50.1	12525.2	224
D	69	6.9	5.114	51.1	17.6%	60.1	15014.7	268
С	69	6.9	4.678	46.8	19.0%	54.9	13732.7	245.2
В	51.4	5.14	3.22	32.2	16.1%	37.8	9455.3	168.8
A	57.2	5.72	4.994	49.9	17.0%	58.7	14663.3	262
Harves	sted four 17'5"	lengths per plo	ot					
(100 –	corn moisture	)/(100 – 15) X ·	weight of wet corn =	dry corn weigh	t			
(100 –	23.4)/(100-15)	) X 10.3 pound	s = 9.28 pounds of	dry corn. Or 928	30 pounds per a	cre. Or 165.7 bushels per ac	re.	
average bushels control:			246					
average bushels treatment: 24								