

Organic Double Crop Sunflowers in Northern Illinois

This material is based upon work that is supported by the National Institute of Food and Agriculture, U.S. Department of Agriculture, under agreement number 3002-11032-85683 through the North Central Region SARE program under project number FNC21-1287. USDA is an equal opportunity employer and service provider. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the U.S. Department of Agriculture.



Agriculture



About us:

- JL Acres LLC (Jacob, Joshua, Jonathan)
- Managing 2 operations. About 60 milking dairy cows + heifers and dry cows, feeding out about 30 steers (non-organic)/year, ~1000 certified acres (including hay and pasture)
- "Northwest IL" Whiteside, Lee, Ogle, Bureau counties
- Family transitioned to organic around 2008
- We came back to the farm around 2017/2018
- Experience growing organic corn, soybeans (clear and dark hilum), wheat (srww), oats, alfalfa/hay, field peas, and sunflowers
- (+ numerous cover crops)



The Challenge

- Successful organic farming relies on diverse crop rotation to manage fertility and pests.
- The most widely suggested rotation is corn -> beans -> small grain.
- Small grains provide a summer window to manage weeds and add crop diversity.
- Financially, small grains are often break even at best, and in high rent environments can be a net loss in the rotation.



Solutions?

- Growing fertility with/after the small grain for the following corn crop
 - In high land cost areas the fertility grown does not always offset the loss in profit. Cashflow needs can make it hard to have a crop with a net loss even with fertility savings the following year.
- Cover crops can be grown after small grains for grazing or forage.
 - Not all organic growers have livestock or access to forage markets.
- In some parts of the southern Midwest, soybeans can be successfully double cropped behind winter wheat.
 - In more northern areas, double cropping soybeans is a gamble.



Other Options?

- Buckwheat can be grown late in the summer.
 - Markets for buckwheat can be hard to find.
- Some edible beans can be planted later in summer.
 - Contracts for edible beans can be hard to get, and more care is needed at harvest to avoid defects which can result in a rejected load = more risk for new growers.

What else??



What About Sunflowers?

- Sunflowers can grow well with minimal moisture.
- Sunflowers are more frost tolerant than soybeans.
- Deep tap roots bring up minerals and can break apart hardpan.
- Companies are expanding their contracts into the Midwest.
- Direct to consumer possibilities for those that want to develop those markets
- Friendly to pollinators
- Locals love the look
- Great for dove hunting



Our question...

 Can sunflowers be grown as a profitable double crop after winter wheat, in Northern IL, in an organic system?



Our plan

- Harvest wheat
- Do some light tillage to take care of any weeds
- Plant Sunflowers (under contract with Perdue AgriBusiness)
- Do some weed control passes
- Sidedress N (feather meal)
- Harvest sunflowers
- Sell and calculate the results



Harvest wheat/plant flowers

- *Wheat was fertilized with 2 ton/ac of poultry litter in early spring*
- Wheat harvested July 5
- Straw was baled off for the dairy
- Ground soil finished July 8
- Sunflowers planted July 9 @ 30in rows N4H302, ~24,600 seeds/ac
- Rotary hoed July 14

Something wasn't right...



Changes to the plan...


- Discovered we had bad seed, very poor stand, evaluate options...
- Aggressively dragged (to preserve moisture)
- Replant over the old rows as best as possible (to take advantage of the few sunflowers that were coming)
 - July 23. Cobalt II, 26,500



Dry summer... and fall....

Summary for 07/01 to 11/20	<u>2021</u>	Average in 2022
Max Daily Precipitation	1.95	1.59
Max Weekly Precipitation	3.40	3.60
Cumulative Precipitation	11.53	18.11
Summary for 07/01 to 11/20	<u>2021</u>	<u>Average</u> <u>2022 - 2017</u>
Max Daily Precipitation	1.95	2.24
Max Weekly Precipitation	3.40	4.14
Cumulative Precipitation	11.53	18.72
















SARE
Sustainable Agriculture
Research & Education





United States Department of Agriculture

National Institute of Food and Agriculture



Harvest and Storage

- Nov 20
- 14%?? (Rain coming, time to get them out)
- 2001 R62, 25ft Gleaner 8000, blocked up, with air reel
 - Some harvest loss, which is to be expected
- Stored in a bin, 3ft deep? with air for a week or two. Dried down to about 9%
- Sunflowers dry very easily if you can get air to them. May need to clean/screen out some FM if you have too much.

United States
Department of
Agriculture

National Institute
of Food and
Agriculture

The Numbers...

Costs

- Seed: \$1800
- Fertilizer + application: \$2596 (1.98t feathermeal, 132lbs/ac)
- Machinery/field operations: \$1500
- Trucking to Georgia: \$3000
- Total costs for 30 acres = \$8,896



The Numbers cont...

Income

- Yield: 17,033lb (567/ac)
- Price: \$0.38/lb delivered.
- Premium: Oil @ 46.5% = +\$0.0342/lb
- Gross: \$7055 (\$235/ac)
- Gross Cost = \$7055 \$8896 = -\$1841 (-\$61/ac)
- Break even would be 21,477lbs (715lbs/ac)
- But!!! ...



But!!!

- These sunflowers were planted 3+ weeks later than planned.
- Well below average rainfall
- Fertilizer was not optimized
- Truck to Georgia was only about half full
- *Another area farmer had similar seed issues, got the second planting in earlier, and yield was very good.



Just for fun...

- IF we had skipped fertilizer entirely... -\$2596
- \$7055 \$6300 = \$755 or \$25/ac
- IF the trucking was proportional to the volume... -\$1500
- \$7055 \$4800 = \$2,255 or \$75/ac

If we would have decided to skip fertilizer because of dry weather we would have broke even under a "worst case" scenario.



What if...

- Soybeans?
- Forage?
- Cover crops?

• If we would have had a successful first planting, and earlier second planting, or gotten more average rainfall, we likely would have been profitable.



Next time...

- Maintain "earlier" planting date
- Different fertilizer program
- Hope for more rain...



This study shows that...

- Sunflowers can be a profitable alternative for double cropping in areas where double crop soybeans are riskier.
- Sunflowers are resilient in dry weather.
- Even in a "worst case" scenario sunflowers have the potential to bring a profit if managed strategically.
- Further research is needed to quantify costs and profits over multiple growing seasons.



Potential Problems. Remaining Questions.

- Attention to harvest moisture and storage needs
- Too much fertility and they can lodge
- Bin/storage space

- How many volunteer sunflowers will there be? Strategies to deal with volunteers?
- Can other cover crops/clovers be seeded with/in the flowers? How do sunflowers affect the following crops in the rotation (compared to

United States
Department of
Agriculture

National Institute
of Food and

wheat alone)?

Other experiments and trials in the works (Not all SARE funded)

- No-till organic soybeans. 30in vs drilled.
 - Vs full tillage organic soybeans 30in vs drilled (Completed 2022)

 Full Season Sunflowers with interseeded cover crops/clover (2023, 2024)

Elderberries





Questions?

- Jacob.Landis.11@gmail.com
- 815-590-0969
- JLAcres.com
- JL Acres on YouTube



