

References

- Anderson, J.W., P. Baird, R.H Davis, S. Ferreri, M. Knudtson, A. Koraym, V. Waters, and C.L. Williams. 2009. Health benefits of dietary fiber. *Nutr. Rev.* 67(4):188-205.
- Archer, J.A., E.C. Richardson, R.M. Herd, and P.F. Arthur. 1999. Potential for selection to improve efficiency of feed use in beef cattle: a review. *Aust. J. Agric. Res.* 50:147-161.
- Backhed, F., H. Ding, T. Wang, L.V. Hooper, G.Y. Koh, A. Nagy, C.F. Semenkovich, and J.I. Gordon. 2004. The gut microbiota as an environmental factor that regulates fat storage. *PNAS.* 101:15718-15723.
- Benson, A.K., S.A. Kelly, R. Legge, F. Ma, S.J. Low, J. Kim, M. Zhang, P.L. Oh, D. Nehrenberg, K. Hua, S.D. Kachman, E.N. Moriyama, J. Walter, D.A. Peterson, and D. Pomp. 2010. Individuality in gut microbiota composition is a complex polygenic trait shaped by multiple environmental and host genetic factors. *PNAS.* 107(44):18933-18938.
- Caporaso, J. G., J. Kuczynski, J. Stombaugh, K. Bittinger, F. D. Bushman, E. K. Costello, N. Fierer, A. Gonzalez Pena, J. K. Goodrich, J. I. Gordon, G. A. Huttley, S. T. Kelley, D. Knights, J. E. Koenig, R. E. Ley, C. A. Lozupone, D. McDonald, B. D. Muegge, M. Pirrung, J. Reeder, J. R. Sevinsky, P. J. Turnbaugh, W. A. Walters, J. Widmann, T. Yatsunenko, J. Zaneveld, and R. Knight. 2010. QIIME allows analysis of high-throughput community sequencing data. *Nature Methods.* doi:10.1038/nmeth.f.303.
- Ellison, M.J., G.C. Conant, R.R. Cockrum, K.J. Austin, H. Truong, M. Becchi, W.R. Lamberson, and K.M. Cammack. 2014. Diet alters both the structure and taxonomy of the Ovine gut microbial ecosystem. *DNA Res.* 21(2):115-125.
- Ellison, M.J., 2016. *Dissertation: Rumen microbial profiles associated with variation in feed efficiency of lambs.* Laramie, Wyoming, USA: University of Wyoming.
- FRED, 2016. *Producer price index for all commodities.* [Online] Available at: "<https://research.stlouisfed.org/fred2/series/PPIACO>" [Accessed 14 April 2016].
- Goetsch, A.L. and M.L. Galvean. 1983. Influence of feeding frequency on passage of fluid and particulate markers in steers fed a concentrate diet. *Can. J. Anim. Sci.* 63:727.
- Koch, R.M., L.A. Swiger, D. Chambers, and K.E. Gregory. 1963. Efficiency of feed use in beef cattle. *J. Anim. Sci.* 22:486-494.
- Ley, E., F. Backhed, P. Turnbaugh, C.A. Lozupone, R.D. Knight, and J.I. Gordon. 2005. Obesity alters gut microbial ecology. *PNAS.* 103(31):11070-11075.
- Liou, A.P., M. Paziuk, J.M. Luevano, S. Machineni, P.J. Turnbaugh, and L.M. Kaplan. 2013. Conserved shifts in the gut microbiota due to gastric bypass reduce host weight and adiposity. *Sci. Transl. Med.* 5(178):178ra41.
- Spor, A., O. Koren, and R. Ley. 2011. Unravelling the effects of the environment and host genotype on the gut microbiome. *Nat. Rev. Microbiol.* 9(4):279-290.
- Tannock, G.W. 2007. What immunologists should know about bacterial communities of the human bowel. *Semin. Immunol.*
- Turnbaugh, P.J., M. Hamady, T. Yatsunenko, B.L. Cantarel, A. Duncan, R.E. Ley, M.L. Sogin, W.J. Jones, B.A. Roe, J.P. Affourtit, M. Egholm, B. Henrissat, A.C. Heath, R. Knight, and J.I. Gordon. 2009. A core gut microbiome in obese and lean twins. *Nature.* 456:480-484.

- USDA-ERS, 2014. *Feed and Grains Database*. [Online] Available at: <http://www.ers.usda.gov/data-products/feed-grains-database/feed-grains-custom-query.aspx> *ResultsPanel* [Accessed 14 April 2016].
- van Nood, E., A. Vrieze, M. Nieuwdorp, S. Fuentes, E.G. Zoetendal, W.M. de Vos, C.E. Visser, E.J. Kuijper, J.F.W.M. Bartelsman, J.G.P. Tijssen, P. Speelman, M.G.W. Dijkgraaf, and J.J. Keller. 2013. Duodenal infusion of donor feces for recurrent Clostridium difficile. *N. Engl. J. Med.* 368:407-415.
- Yu, Z. and M. Morrison. 2004. Improved extraction of PCR-quality community DNA from digesta and fecal samples. *BioTechniques*. 36(5):808-812.