

[Cart](#)

SEARCH

QuickCalcs

- 1. [Select category](#)
- 2. [Choose calculator](#)
- 3. [Enter data](#)
- 4. [View results](#)

Paired *t* test results

P value and statistical significance:
 The two-tailed P value equals 0.5473
 By conventional criteria, this difference is considered to be not statistically significant.

Confidence interval:
 The mean of ZEOLITES potato, Crooked Door minus CONTROL potato, Crooked Door equals -1.7125
 95% confidence interval of this difference: From -9.7703 to 6.3453

Intermediate values used in calculations:
 t = 0.6764
 df = 3
 standard error of difference = 2.532

Learn more:
 GraphPad's web site includes portions of the manual for GraphPad Prism that can help you learn statistics. First, review the meaning of [P values](#) and [confidence intervals](#). Then learn how to interpret results from an [unpaired](#) or [paired](#) *t* test. These links include GraphPad's popular *analysis checklists*.

Review your data:

Group	ZEOLITES potato, Crooked Door	CONTROL potato, Crooked Door
Mean	6.3100	8.0225
SD	1.4366	4.6670
SEM	0.7183	2.3335
N	4	4



GraphPad Prism

Organize, analyze and graph and present your scientific data.
[MORE >](#)



InStat

With InStat® you can analyze data in a few minutes.
[MORE >](#)



StatMate

StatMate® calculates sample size and power.
[MORE >](#)



Questions about curve
fitting or statistics?
[More >](#)