



Current Season of Growth: mid **Today's Weather:** Sunny, scattered clouds, high 85

Form Used: 2K6 Rancher 11-14" 8/06

1. Pasture Notes

Pasture Size: 1259 acres **Grazable Acres:** 1259 acres

Management:

Unique Conditions:

General Notes:

Water Infiltration
Ring 1: prime = 13:52, infiltration = 25:53
Ring 2: prime = 23:18, infiltration = >30 minutes

2. Weather History

	Temperature	Precipitation
Previous Fall		
Winter		
Spring		
Summer		
Fall		

Nearest Range Gauge:

Total Precipitation: 0"
(from Dec 31, 2999 to Jan 01, 1970)

3. Grazing

Rest Period Before 1st Graze:

Intensity:	
Rest/Opportunity:	
Season:	
Precipitation:	

Site Grazed?

Graze Uniformity:

Estimated Utilization:

Grazing Index Score
(-5 = worst, +5 = best)

NaN


Grazing Dates:

Animal Type	Feed Factor	# Animals	Start Date	End Date	Stocking Rate (SADs / Acre)


Total Days: 0 days

Peak Stock Density: 0 Animals/acre

4. Land EKG Eco-Graph:



5. Surface Cover:



Leaf Height and Canopy:

Avg Leaf Height:	3.8 inches
Max Leaf Height:	8.3 inches
% Live Canopy:	43%

Plant Diversity:

Grasses: 2 Forbs: 2 Other: 0



6. Plant Species Composition (Average from Hoops) (also known as 4-3-2-1)

1. 57% Brome Cheatgrass
2. 34% Grama Blue
3. 5% Vetch
4. 3% Pale madwort
5. 2% Fescue Sixweeks
6. 1% Woolly Plantain

7. Plant Inventory (# = 30): (Goal Plant, Undesirable Plant, Absent But Possible Plant)

<u>Grasses</u>	<u>Forbs</u>	<u>Shrubs</u>
Brome Cheatgrass	Cactus Prickly Pear	Sagebrush Big
Needleandthread Needle and Thread	Daisy Hoary	Sagebrush Bud
Needlegrass Green	Dandelion Common	
Wheatgrass Bluebunch	Globemallow Scarlet	
Wheatgrass Western	Halogeton	<u>Trees</u>
Bluegrass Sandberg	Lettuce Prickly	
Fescue Sixweeks	Mustard Tall Tumblemustard	
Grama Blue	Nuttal's Segó Lily	
Wheatgrass Crested	Pale madwort	
Wheatgrass Squirreltail	Pussytoes	
Brome Field	Salsify	
Threeawn Purple	Sandmat	
Needlegrass Indian ricegrass	Thistle Russian	
	Vetch	
	Woolly Plantain	

8. Living Organisms(# = 15) (Abundant Organism*)

Age	Organism Name	Sign
Fresh	Grasshopper	Call/Song
Fresh	Ant	Sighting
Fresh	Bird	Call/Song
Fresh	Bird	Call/Song
Fresh	Bird	Call/Song
Recent	Cattle	Manure
Fresh	Bird	Call/Song
Fresh	Swallow	Sighting
Old	Deer	Manure
Fresh	Spider	Hole(s)
Fresh	Insect	Sighting
Old	Cattle	Track(s)
Fresh	Dung beetle	Burrow(s)
Fresh	Insect	Sighting
Recent	Pronghorn	Shed

9. Forage Production

Pasture: 377 lbs/acre
Notes:



Indicator Notes:

Site Recommendations:

SITE PHOTOS



Shortline (EKG Pro Eco-Graph) 2023-06-15



Longline (EKG Pro Eco-Graph) 2023-06-15




Cvr - Bar:6 Ltr:86 Bsl:4 Mos:4 Rck:0 | SpDv: G:1 F:1 O:0
Hoop 1 (EKG Pro Eco-Graph) 2023-06-15



Cvr - Bar:6 Ltr:86 Bsl:4 Mos:4 Rck:0 | SpDv: G:1 F:1 O:0
Hoop 1 Back (EKG Pro Eco-Graph) 2023-06-15



Cvr - Bar:84 Ltr:8 Bsl:6 Mos:2 Rck:0 | SpDv: G:3 F:3 O:0
Hoop 2 (EKG Pro Eco-Graph) 2023-06-15



Cvr - Bar:84 Ltr:8 Bsl:6 Mos:2 Rck:0 | SpDv: G:3 F:3 O:0
Hoop 2 Back (EKG Pro Eco-Graph) 2023-06-15